VOLUME 43 • AUTHOR INDEX

Abbasi AM *see* Ilyas M *et al*
Abbey S *see* Cauch-Dudek K *et al*
Acciardi C *see* Vaira D *et al*
Adam AA *see* Stadnicki A *et al*
Adamek HE *et al*. A prospective evaluation of magnetic resonance cholangiopancreatography in patients with suspected bile duct obstruction, **680**
Adler G *see* Friess H *et al*
see Schmid RM *et al*
Adolf GR *see* Reinisch W *et al*
Ahnen DJ *see* Brensinger JD *et al*
Aigrain Y *see* Besnard M *et al*
Ainley C. Making light work of early gastric cancer: *commentary*, **309**
Akbar AN. Life (and death) in the Fas lane: *commentary*, **5**
Akiba Y *see* Tanaka S *et al*
Albert J *see* Adamek HE *et al*
Albert V *see* Gibson PR *et al*
Ali' A *see* Vaira D *et al*
Allali-Hassani A *see* Oneta CM *et al*
Allan RN *see* Walmsley RS *et al*
see Woodward JM *et al*
Allen A *see* Newton JL *et al*
Allison DJ *see* Hemingway AP and Allison DJ
Ally R *see* Segal I *et al*
Al-Mufti RA *et al*. Increased nitric oxide activity in a rat model of acute pancreatitis, **564**
Al-Musawi D, Williamson RCN. Cholecystokinin infusion: assessing a rather provocative test: *commentary*, **454**
Amarri S *see* Weaver LT *et al*
Anabitarte M *see* Mullhaupt B *et al*
Andriulli A *see* Galmiche JP *et al*
Anggiansah A *see* Marshall REK *et al*
Anti M *et al*. Importance of changes in epithelial cell turnover during *Helicobacter pylori* infection in gastric carcinogenesis, **S27 (Suppl 1)**
Aoyama N *see* Suzuki S *et al*
Applegate TL *see* Apte MV *et al*
Appleton DR *see* Green SE *et al*
Apte MV *et al*. Periacinar stellate shaped cells in rat pancreas: identification, isolation, and culture, **128**
Arbuckle E *see* Murray GI *et al*
Ardizzone S *see* Maconi G *et al*
Armuzzi A *see* Anti M *et al*
Aronson DC *see* Sijmons RH *et al*
Atkin WS *see* Hart AR *et al*
Atomi Y *see* Sharma BC *et al*
Attenhofer M *see* Heinimann K *et al*
Aubert JP *see* Buisine MP *et al*
Aubé AC *see* Barbier M *et al*
Auricchio S *see* Troncone R *et al*
Axon ATR. Treatment of *Helicobacter pylori*: future therapeutic and prophylactic perspectives, **S70 (Suppl 1)**
Ayres RCS *see* Walmsley RS *et al*
Azuma T *see* Sarnacki S *et al*

Bach J-F *see* Djilali-Saiah I *et al*
Badcock C-A *see* Bennett EJ *et al*
Baird P *see* Goddard CJR *et al*
Baldwin TJ *see* Sanfilippo L *et al*
Ballinger A *et al*. 6-Mercaptopurine metabolism in Crohn's disease: *letter*, **301**
Barbara G *see* Stanghellini V *et al*
Barbier M *et al*. Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
Barbulescu K *see* Neurath MF *et al*
Bardan E *see* Dua K *et al*
Bardhan KD *et al*. Erosive oesophagitis: outcome of repeated long term maintenance treatment with low dose omeprazole 10 mg or placebo, **458**
Barkla DH *see* Gibson PR *et al*
Barlow J *see* McLaughlin JT *et al*
Bartle WR *et al*. Diagnostic value of T cell reactivity in drug induced hepatitis: *letter*, **730**
Bartoli R *see* Zoli G *et al*
Basili S *see* Saliola M *et al*
Basoski N *see* Stokkers PCF *et al*
Bassendine MF *see* Grove J *et al*
Basso D *et al*. Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**
Bastoni K *see* Carroccio A *et al*
Bate CM. Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: *letter*, **728**
Bateson MC *et al*. Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication: *letter*, **586**
One week triple therapy for *Helicobacter pylori*: *letter*, **148**
Batman PA *et al*. HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda, **350**
Bayer J *see* Hochberger J *et al*
Beales ILP, Calam J. The histamine H_1 receptor agonist N^{α}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
Beaufrère B *see* Ghoos Y and Beaufrère B
Becker C *see* Neurath MF *et al*
Becker M. ^{13}C breath tests for measurement of liver function, **S25 (Suppl 3)**
Beger HG *see* Ishiwata T *et al*
Belghiti J *see* Madeira I *et al*
Bennett EJ *et al*. Level of chronic life stress predicts clinical outcome in irritable bowel syndrome, **256**
Bennett M *see* Green SE *et al*
Bernades P *see* Madeira I *et al*
Besnard M *et al*. Postoperative outcome of Crohn's disease in 30 children, **634**
Better OS *see* Rachmilewitz D *et al*
Bhatti M *et al*. Visualising E-selectin in the detection and evaluation of inflammatory bowel disease, **40**
Bilker WB *see* Strom BL *et al*
Biral R *see* Netzer P *et al*
Birchall I *see* Gibson PR *et al*
Bishop A *see* Bardhan KD *et al*
Bishop DT *see* Brown SR *et al*
see Brown SR *et al*
Bitoun A *see* Bouhnik Y *et al*
Bjarnason I *see* Mahmud T *et al*
see Sigthorsson G *et al*
Black D, Trevethick M. The kappa opioid receptor is associated with the perception of visceral pain: *science alert*, **312**
Black R *see* Schoemaker D *et al*
Blais Jr C *see* Stadnicki A *et al*
Blaser MJ. Helicobacters are indigenous to the human stomach: duodenal ulceration is due to changes in gastric microecology in the modern era: *occasional viewpoint*, **721**
Bloomston M *see* Rosemurgy AS II *et al*
Blottière HM *see* Barbier M *et al*
Bodmer WF *see* Ilyas M *et al*
Bollani S *see* Maconi G *et al*
Bomford A *see* Fairbanks VF *et al*
Book reviews Evans DF, Buckton GK, *editors*. Clinical measurements in gastroenterology. Volume 1. The oesophagus, **443**
Guelrud M, Carr-Locke DL, Fox VL. ERCP in pediatric practice: diagnosis and treatment, **443**
Killenberg PG, Clavien PA, *editors*. Medical care of the liver transplant patient, **444**
LaMont JT, *editor*. Gastrointestinal infections, **301**
Lankisch PG, Banks PA. Pancreatitis, **588**
Lewis JH, Dubois A, *editors*. Current clinical topics in gastrointestinal pharmacology, **443**
Livraghi T, Makuuchi M, Buscarini L, *editors*. Diagnosis and treatment of hepatocellular carcinoma, **589**
Mazziotti A, Cavallari A, *editors*. Techniques in Liver Surgery, **149**
Paumgartner G, Stiehl A, Gerok W, *editors*. Bile acids in hepatobiliary disease. Basic research/clinical applications, **861**
Reesink HW, *editor*. Current studies in haematology and blood transfusion. Volume 62. Hepatitis C virus, **589**
Sarvetnick N, *editor*. Pancreatic Growth and Regeneration, **149**
Travis S, Stevens R, Dalton H. Shared care in gastroenterology, **589**
Weill FS, Manco-Johnson ML, *editors*. Imaging of abdominal and pelvic anatomy, **301**
Yamada T, Alpers DH, Owyang C, Powell DW, Silverstein FE. Gastroenterology. Electronic Reference and Review, **149**
Borg M *see* Yeoh EK *et al*
Borgström A *et al*. Do trypsin 2–α-1-antitrypsin complexes occur naturally in the circulation?: *letter*, **861**
Borriello SP *see* Sanfilippo L *et al*
Botten R *see* Yeoh EK *et al*
Bouhnik Y *et al*. Two way push videoenteroscopy in investigation of small bowel disease, **280**
Boulton R *see* Tang H *et al*
Bowen DJ *see* Fairbanks VF *et al*
Bowes KL *see* Mintchev MP *et al*
Bown SG. A light at the end of the tunnel: *commentary*, **737**
Boyle P *see* Langman M and Boyle P
Brandhagen DJ *see* Fairbanks VF *et al*
Breer H *see* Adamek HE *et al*
Brensinger JD *et al*. Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene, **548**
Brigato L *see* Basso D *et al*
Brooks A *see* Bardhan KD *et al*

VOLUME 43 • AUTHOR INDEX

Abbasi AM *see* Ilyas M *et al*
Abbey S *see* Cauch-Dudek K *et al*
Acciardi C *see* Vaira D *et al*
Adam AA *see* Stadnicki A *et al*
Adamek HE *et al*. A prospective evaluation of magnetic resonance cholangiopancreatography in patients with suspected bile duct obstruction, **680**
Adler G *see* Friess H *et al*
see Schmid RM *et al*
Adolf GR *see* Reinisch W *et al*
Ahnen DJ *see* Brensinger JD *et al*
Aigrain Y *see* Besnard M *et al*
Ainley C. Making light work of early gastric cancer: *commentary*, **309**
Akbar AN. Life (and death) in the Fas lane: *commentary*, **5**
Akiba Y *see* Tanaka S *et al*
Albert J *see* Adamek HE *et al*
Albert V *see* Gibson PR *et al*
Ali' A *see* Vaira D *et al*
Allali-Hassani A *see* Oneta CM *et al*
Allan RN *see* Walmsley RS *et al*
see Woodward JM *et al*
Allen A *see* Newton JL *et al*
Allison DJ *see* Hemingway AP and Allison DJ
Ally R *see* Segal I *et al*
Al-Mufti RA *et al*. Increased nitric oxide activity in a rat model of acute pancreatitis, **564**
Al-Musawi D, Williamson RCN. Cholecystokinin infusion: assessing a rather provocative test: *commentary*, **454**
Amarri S *see* Weaver LT *et al*
Anabitarte M *see* Mullhaupt B *et al*
Andriulli A *see* Galmiche JP *et al*
Anggiansah A *see* Marshall REK *et al*
Anti M *et al*. Importance of changes in epithelial cell turnover during *Helicobacter pylori* infection in gastric carcinogenesis, **S27 (Suppl 1)**
Aoyama N *see* Suzuki S *et al*
Applegate TL *see* Apte MV *et al*
Appleton DR *see* Green SE *et al*
Apte MV *et al*. Periacinar stellate shaped cells in rat pancreas: identification, isolation, and culture, **128**
Arbuckle E *see* Murray GI *et al*
Ardizzone S *see* Maconi G *et al*
Armuzzi A *see* Anti M *et al*
Aronson DC *see* Sijmons RH *et al*
Atkin WS *see* Hart AR *et al*
Atomi Y *see* Sharma BC *et al*
Attenhofer M *see* Heinimann K *et al*
Aubert JP *see* Buisine MP *et al*
Aubé AC *see* Barbier M *et al*
Auricchio S *see* Troncone R *et al*
Axon ATR. Treatment of *Helicobacter pylori*: future therapeutic and prophylactic perspectives, **S70 (Suppl 1)**
Ayres RCS *see* Walmsley RS *et al*
Azuma T *see* Sarnacki S *et al*

Bach J-F *see* Djilali-Saiah I *et al*
Badcock C-A *see* Bennett EJ *et al*
Baird P *see* Goddard CJR *et al*
Baldwin TJ *see* Sanfilippo L *et al*
Ballinger A *et al*. 6-Mercaptopurine metabolism in Crohn's disease: *letter*, **301**
Barbara G *see* Stanghellini V *et al*
Barbier M *et al*. Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
Barbulescu K *see* Neurath MF *et al*
Bardan E *see* Dua K *et al*
Bardhan KD *et al*. Erosive oesophagitis: outcome of repeated long term maintenance treatment with low dose omeprazole 10 mg or placebo, **458**
Barkla DH *see* Gibson PR *et al*
Barlow J *see* McLaughlin JT *et al*
Bartle WR *et al*. Diagnostic value of T cell reactivity in drug induced hepatitis: *letter*, **730**
Bartoli R *see* Zoli G *et al*
Basili S *see* Saliola M *et al*
Basoski N *see* Stokkers PCF *et al*
Bassendine MF *see* Grove J *et al*
Basso D *et al*. Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**
Bastoni K *see* Carroccio A *et al*
Bate CM. Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: *letter*, **728**
Bateson MC *et al*. Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication: *letter*, **586**
One week triple therapy for *Helicobacter pylori*: *letter*, **148**
Batman PA *et al*. HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda, **350**
Bayer J *see* Hochberger J *et al*
Beales ILP, Calam J. The histamine H_1 receptor agonist N^{α}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
Beaufrère B *see* Ghoos Y and Beaufrère B
Becker C *see* Neurath MF *et al*
Becker M. ^{13}C breath tests for measurement of liver function, **S25 (Suppl 3)**
Beger HG *see* Ishiwata T *et al*
Belghiti J *see* Madeira I *et al*
Bennett EJ *et al*. Level of chronic life stress predicts clinical outcome in irritable bowel syndrome, **256**
Bennett M *see* Green SE *et al*
Bernades P *see* Madeira I *et al*
Besnard M *et al*. Postoperative outcome of Crohn's disease in 30 children, **634**
Better OS *see* Rachmilewitz D *et al*
Bhatti M *et al*. Visualising E-selectin in the detection and evaluation of inflammatory bowel disease, **40**
Bilker WB *see* Strom BL *et al*
Biral R *see* Netzer P *et al*
Birchall I *see* Gibson PR *et al*
Bishop A *see* Bardhan KD *et al*
Bishop DT *see* Brown SR *et al*
see Brown SR *et al*
Bitoun A *see* Bouhnik Y *et al*
Bjarnason I *see* Mahmud T *et al*
see Sigthorsson G *et al*
Black D, Trevethick M. The kappa opioid receptor is associated with the perception of visceral pain: *science alert*, **312**
Black R *see* Schoemaker D *et al*
Blais Jr C *see* Stadnicki A *et al*
Blaser MJ. Helicobacters are indigenous to the human stomach: duodenal ulceration is due to changes in gastric microecology in the modern era: *occasional viewpoint*, **721**
Bloomston M *see* Rosemurgy AS II *et al*
Blottière HM *see* Barbier M *et al*
Bodmer WF *see* Ilyas M *et al*
Bollani S *see* Maconi G *et al*
Bomford A *see* Fairbanks VF *et al*
Book reviews Evans DF, Buckton GK, *editors*. Clinical measurements in gastroenterology. Volume 1. The oesophagus, **443**
Guelrud M, Carr-Locke DL, Fox VL. ERCP in pediatric practice: diagnosis and treatment, **443**
Killenberg PG, Clavien PA, *editors*. Medical care of the liver transplant patient, **444**
LaMont JT, *editor*. Gastrointestinal infections, **301**
Lankisch PG, Banks PA. Pancreatitis, **588**
Lewis JH, Dubois A, *editors*. Current clinical topics in gastrointestinal pharmacology, **443**
Livraghi T, Makuuchi M, Buscarini L, *editors*. Diagnosis and treatment of hepatocellular carcinoma, **589**
Mazziotti A, Cavallari A, *editors*. Techniques in Liver Surgery, **149**
Paumgartner G, Stiehl A, Gerok W, *editors*. Bile acids in hepatobiliary disease. Basic research/clinical applications, **861**
Reesink HW, *editor*. Current studies in haematology and blood transfusion. Volume 62. Hepatitis C virus, **589**
Sarvetnick N, *editor*. Pancreatic Growth and Regeneration, **149**
Travis S, Stevens R, Dalton H. Shared care in gastroenterology, **589**
Weill FS, Manco-Johnson ML, *editors*. Imaging of abdominal and pelvic anatomy, **301**
Yamada T, Alpers DH, Owyang C, Powell DW, Silverstein FE. Gastroenterology. Electronic Reference and Review, **149**
Borg M *see* Yeoh EK *et al*
Borgström A *et al*. Do trypsin 2–α-1-antitrypsin complexes occur naturally in the circulation?: *letter*, **861**
Borriello SP *see* Sanfilippo L *et al*
Botten R *see* Yeoh EK *et al*
Bouhnik Y *et al*. Two way push videoenteroscopy in investigation of small bowel disease, **280**
Boulton R *see* Tang H *et al*
Bowen DJ *see* Fairbanks VF *et al*
Bowes KL *see* Mintchev MP *et al*
Bown SG. A light at the end of the tunnel: *commentary*, **737**
Boyle P *see* Langman M and Boyle P
Brandhagen DJ *see* Fairbanks VF *et al*
Breer H *see* Adamek HE *et al*
Brensinger JD *et al*. Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene, **548**
Brigato L *see* Basso D *et al*
Brooks A *see* Bardhan KD *et al*

Brough JL *see* Hull MA *et al*
Brousse N *see* Sarnacki S *et al*
Brouwers-Smalbraak GJ *see* Sijmons RH *et al*
Brown PD. Matrix metalloproteinases in gastrointestinal cancer: *leader*, **161**
Brown SR *et al.* Are relatives of patients with multiple HNPCC spectrum tumours at increased risk of cancer?, **664**
Frequency of replication errors in colorectal cancer and their association with family history, **553**
Buchler MW *see* Egger B *et al*
see Friess H *et al*
Bueno L *see* Jeanneton O *et al*
Buffardi F *see* Carroccio A *et al*
Buisine MP *et al.* Mucin gene expression in human embryonic and fetal intestine, **519**
Bunn C *see* Fidler HM *et al*
Burn J *see* Green SE *et al*
Burnett AK *see* Fairbanks VF *et al*
Burroughs AK *see* Chau TN *et al*
see Fidler HM *et al*
see Papatheodoridis GV *et al*
Burroughs AK. Octreotide followed by sclerotherapy was not more effective than emergency injection sclerotherapy for acute variceal haemorrhage, Transjugular intrahepatic portosystemic stent shunt reduced the rate of variceal rebleeding in patients with cirrhosis, Transjugular intrahepatic portosystemic shunt was not more cost effective than H graft portacaval shunt for bleeding varices: *commentator*, **11**
Burt AD *see* Green SE *et al*
see Grove J *et al*
Burt MJ *et al.* The significance of haemochromatosis gene mutations in the general population: implications for screening, **830**
Buslon VS *see* Egger B *et al*
Butler P *see* Fidler HM *et al*
Buys CHCM *see* Sijmons RH *et al*

Cacoub P *see* Perlemuter G *et al*
Caillat-Zucman S *see* Djilali-Saiah I *et al*
Calam J *see* Beales ILP and Calam J
Calise D *see* Sarnacki S *et al*
Calvet X, Comet R. Clinical trials in *Helicobacter pylori* infection: *letter*, **731**
Canani RB *see* Carroccio A *et al*
Carbonnel F *see* Ockenga J *et al*
Carey HV *see* Egger B *et al*
Cariappa A *et al.* Analysis of MHC class II DP, DQ and DR alleles in Crohn's disease, **210**
Caroselli C *see* Saliola M *et al*
Carroccio A *et al.* Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
Carter GI *see* Hull MA *et al*
Cassetta E *see* Maria G *et al*
Castillo CF *see* Werner J *et al*
Catania A *see* Rossi P *et al*
Cauch-Dudek K *et al.* Fatigue in primary biliary cirrhosis, **705**
Cawkwell L *see* Brown SR *et al*
Cerf-Bensussan N *see* Sarnacki S *et al*
Cézard JP *see* Besnard M *et al*
Chai N-N *see* Egger B *et al*
Chan YW *see* Chau TN *et al*
Chandler DS, Mynott TL. Bromelain protects piglets from diarrhoea caused by oral challenge with K88 positive enterotoxigenic *Escherichia coli* , **196**
Chapman BA *see* Burt MJ *et al*
Chapman P *see* Bhatti M *et al*
see Green SE *et al*
Chapman RW. The colon and PSC: new liver, new danger?: *commentary*, **595**
Chapman S *see* Sheers R and Chapman S
Chapman TM *see* Burt MJ *et al*
Chau TN *et al.* Thrombelastographic changes and early rebleeding in cirrhotic patients with variceal bleeding, **267**
Chaussade S *see* Perlemuter G *et al*
Chawla Y *see* Das R *et al*
Checklin H *see* Lidums I *et al*
Chen JWC *et al.* Sphincter of Oddi dysfunction and acute pancreatitis: *leader*, **305**
Cherbut C *see* Barbier M *et al*
Cherian P *see* Bardhan KD *et al*
Choi S-W *et al.* Folate depletion impairs DNA excision repair in the colon of the rat, **93**
Chong H *see* Todryk SM *et al*
Chung SW *see* Yoshida EM and Chung SW
Ciclitira PJ *see* Ellis HJ *et al*
Clarke PD *see* Fenlon HM *et al*
Codeluppi M *see* Rossi P *et al*
Coffin B *see* Bouhnik Y *et al*
Collett JA *see* Burt MJ *et al*
Collin P *see* Reunala T *et al*
Colman RW *see* Stadnicki A *et al*
Comet R *see* Calvet X and Comet R
Conradt C *see* Oneta CM *et al*
Corazza GR *see* Zoli G *et al*
Corinaldesi R *see* Stanghellini V *et al*
Corsini A *see* Basso D *et al*
Cosnes J *see* Ockenga J *et al*
Coulie B *et al.* Involvement of two different pathways in the motor effects of erythromycin on the gastric antrum in humans, **395**
Coutelle C *see* Oneta CM *et al*
Couturier D *see* Perlemuter G *et al*
Crabtree JE. Eradication of chronic *Helicobacter pylori* infection by therapeutic vaccination: *science alert*, **7**
see Shimoyama T and Crabtree JE
Crawley JA, Haycox A. Cost effectiveness of treatment for gastro-oesophageal reflux disease: *letter*, **729**
Cremer M *see* van Laethem J-L *et al*
Curzon I *see* Nicholson AA *et al*
Cutz E *see* Sylvester FA *et al*

Daly AK *see* Grove J *et al*
Dankert J *see* Bateson MC *et al*
Dapoigny M *see* Perlemuter G *et al*
Das R *et al.* Prevalence of the factor V Leiden mutation in portal and hepatic vein thrombosis: *letter*, **147**
Davidson B *see* Papatheodoridis GV *et al*
Davies M *see* Jenkins SA *et al*
Day CP *see* Grove J *et al*
Debrun A *see* Besnard M *et al*
de Giorgio R *see* Stanghellini V *et al*
Dejaco C *see* Reinisch W *et al*
Delagausie P *see* Besnard M *et al*
Delbende B *see* Galmiche JP *et al*
Deleuran B *see* Osman MO *et al*
Deleuran M *see* Osman MO *et al*
Delhaye M *see* van Laethem J-L *et al*
Delisle MB *see* Jeanneton O *et al*
Delvaux M *see* Jeanneton O *et al*
Denys A *see* Madeira I *et al*
Devière J *see* van Laethem J-L *et al*
see van Laethem J-L *et al*
de Vincenzi M *see* Troncone R *et al*
Devisme L *see* Buisine MP *et al*
Dhiman RK *see* Das R *et al*
see Sharma BC *et al*
Diav-Citrin O *et al.* Exposure to mesalamine during pregnancy increased preterm deliveries (but not birth defects) and decreased birth weight: *abstract*, **316**
Dickey W, McMillan SA. Association between primary biliary cirrhosis and coeliac disease: *letter*, **300**
Diehl D *see* Harraf F *et al*
DiMagno EP. A perspective on the use of tubeless pancreatic function tests in diagnosis: *leader*, **2**
di Mario F *see* Basso D *et al*
di Martino D *see* Carroccio A *et al*
di Santo A *see* Saliola M *et al*
Dixon MF *see* Moayyedi P and Dixon MF
Djilali-Saiah I *et al.* CTLA-4 gene polymorphism is associated with predisposition to coeliac disease, **187**
Dobbie Z *see* Heinimann K *et al*
Doe WF *see* Suzuki S *et al*
Doermann HP *see* Mégraud F and Doermann HP
Dominguez-Muñoz JE *see* Hackelsberger A *et al*
Domizio P *see* Zhang ZW *et al*
Dooley J *see* Fidler HM *et al*
Dooley JS *see* Fairbanks VF *et al*
Drew PJ *see* Duthie GS *et al*
D'Silva J *see* Bardhan KD *et al*
Dua K *et al.* Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**
Duggan AE *et al.* Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**
Duncan ME *see* Murray GI *et al*
Durie PR *see* Sylvester FA *et al*
Duthie GS *see* Nicholson AA *et al*
Duthie GS *et al.* A UK training programme for nurse practitioner flexible sigmoidoscopy and a prospective evaluation of the practice of the first UK trained nurse flexible sigmoidoscopist, **711**

Ecker K-W *see* Stallmach A *et al*
Egger B *et al.* Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
Eherer AJ *see* Hammer J *et al*
Ekbom A. Appendicectomy and childhood hygiene: different sides of the same coin?: *commentary*, **451**
Ell C *see* Hochberger J *et al*
Ell C *et al.* Photodynamic ablation of early cancers of the stomach by means of mTHPC and laser irradiation: preliminary clinical experience, **345**
Ellis HJ *et al.* Measurement of gluten using a monoclonal antibody to a coeliac toxic peptide of A gliadin, **190**

El-Serag HB, Sonnenberg A. Opposing time trends of peptic ulcer and reflux disease, **327**
Eskinazi R *see* van Laethem J-L *et al*
Ettles DF *see* Nicholson AA *et al*
Eysselein VE *see* Egger B *et al*

Fairbanks VF *et al.* H63D is an haemochromatosis associated allele: *letter*, **441**
Fairclough P, Haynes B. Annual colonoscopy, chest radiography, and computed tomography of the liver did not prolong survival in patients with colorectal cancer: *commentator*, **314**
Farinelli S *see* Vaira D *et al*
Farouk R *see* Duthie GS *et al*
Farthing M. *Gut* boldly goes where others have gone before: www.gutjnl.com : *editorial*, **591**
Farthing MJG *see* Zhang ZW *et al*
see Zoli G *et al*
Farthing MJG. Clinical Alert: evidence-based medicine in *Gut*: *editorial*, **1**
Fass R *see* Harraf F *et al*
Faure C *see* Besnard M *et al*
Feifel G *see* Stallmach A *et al*
Feighery CF. Coeliac disease: how much of what is toxic to whom?: *commentary*, **164**
Fenlon HM *et al.* Colorectal neoplasm detection using virtual colonoscopy: a feasibility study, **806**
Ferkdadji L *see* Besnard M *et al*
Ferro D *see* Saliola M *et al*
Ferrucci JT *see* Fenlon HM *et al*
Fidler HM *et al.* Primary biliary cirrhosis and coeliac disease: a study of relative prevalences: *letter*, **300**
Fiehn W *see* Oneta CM *et al*
Finan PJ *see* Brown SR *et al*
see Brown SR *et al*
Finch CF *see* Gibson PR *et al*
Finkelstein D *see* Cariappa A *et al*
Fitzhenry M *see* Smythe A *et al*
Flejou J-F *see* Madeira I *et al*
Fontana M *see* Carroccio A *et al*
Forbes A *see* Ilyas M *et al*
Forcione D *see* Cariappa A *et al*
Forman D. *Helicobacter pylori*: the gastric cancer problem, **S33 (Suppl 1)**
Forster C *see* Netzer P *et al*
Foster R *see* Mahmud T *et al*
Fothergill JE *see* Murray GI *et al*
Fracchia M *et al.* Biliary lipid composition in idiopathic bile acid malabsorption, **812**
Frampton CMA *see* Burt MJ *et al*
Fraser R *see* Yeoh EK *et al*
Freemont AJ *see* Goddard CJR *et al*
French SW *see* Egger B *et al*
Frexinos J *see* Jeanneton O *et al*
Fried M *see* Heinimann K *et al*
see Mullhaupt B *et al*
Friess H *et al. bax*, but not *bcl-2*, influences the prognosis of human pancreatic cancer, **414**
Frydén A *see* Reichard O *et al*
Fukushima N *see* Ozaki I *et al*
Funahashi H *see* Matsumoto S *et al*
Futagami S *et al.* Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**

Galatola G *see* Fracchia M *et al*
Galeotti F *see* Basso D *et al*
Galmiche JP *see* Barbier M *et al*
Galmiche JP *et al.* ^{13}C octanoic acid breath test, **S28 (Suppl 3)**
Garewal G *see* Das R *et al*
Gasbarrini A *see* Anti M *et al*
Gasbarrini G *see* Anti M *et al*
see Zoli G *et al*
Gasché C *see* Reinisch W *et al*
Gatta L *see* Vaira D *et al*
Genta RM. Acid suppression and gastric atrophy: sifting fact from fiction, **S35 (Suppl 1)**
George PM *see* Burt MJ *et al*
Gespach C *see* Buisine MP *et al*
Gesser B *see* Osman MO *et al*
Geypens B *see* Stellaard F and Geypens B
Ghoos Y, Beaufrère B. ^{13}C protein breath tests, **S23 (Suppl 3)**
Giardiello FM *see* Brensinger JD *et al*
Gibson PR *et al.* Urokinase and the intestinal mucosa: evidence for a role in epithelial cell turnover, **656**
Giles L *see* Schoemaker D *et al*
Gillon KRW *see* Bardhan KD *et al*
Gilmore IT. MRCP: examining the obstructed bile duct: *commentary*, **597**
Goddard CJR *et al.* Localisation and semiquantitative assessment of hepatic procollagen mRNA in primary biliary cirrhosis, **433**
Godeau P *see* Perlemuter G *et al*
Göke M *see* Ockenga J *et al*
Goldwurm S *see* Fairbanks VF *et al*
Gomollón F. Guidance for trials in *Helicobacter pylori* infection: *letter*, **731**
Gosselin B *see* Buisine MP *et al*
Gossner L *see* Ell C *et al*
Gottschalk R *see* Kaltwasser JP *et al*
Graber HU *see* Friess H *et al*
Granberg D *et al.* Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids, **223**
Granerus G *see* Granberg D *et al*
Greco E *see* Basso D *et al*
Greco L *see* Troncone R *et al*
Green SE *et al.* Colonic epithelial cell proliferation in hereditary non-polyposis colorectal cancer, **85**
Greenslade L *see* Chau TN *et al*
Griffin GE *see* Batman PA *et al*
Griffin SM *see* Karat D *et al*
Griffith E. Recognition by human gut γδ cells of stress inducible major histocompatibility molecules on enterocytes: *science alert*, **166**
Group MMI *see* Vaira D *et al*
Grove J *et al.* Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**
Guarino A *see* Carroccio A *et al*
Gui D *see* Maria G *et al*
Guller R *see* Mullhaupt B *et al*
Guller U *see* Mullhaupt B *et al*
Gumpel MJ *see* Sigthorsson G *et al*
Gunson B *see* Tang H *et al*
Gunther T *see* Hackelsberger A *et al*
Guzail M *see* Grove J *et al*

Haber PS *see* Apte MV *et al*
Haboubi NY *see* Goddard CJR *et al*
Hackelsberger A *et al.* Age and *Helicobacter pylori* decrease gastric mucosal surface hydrophobicity independently, **465**
Intestinal metaplasia at the gastro-oesophageal junction: *Heiicobacter pylori* gastritis or gastro-oesophageal reflux disease?, **17**
Hahn EG *see* Ell C *et al*
see Hochberger J *et al*
Halter F *see* Netzer P *et al*
Hamilton M *see* Papatheodoridis GV *et al*
Hamilton SR *see* Brensinger JD *et al*
Hammer HF *see* Hammer J *et al*
Hammer J *et al.* Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain, **252**
Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
Hammer K *see* Hammer J *et al*
Hampe J *see* Schmid RM *et al*
Hansen C *see* Kaltwasser JP *et al*
Hao X-P *see* Ilyas M *et al*
Harfouch-Hammoud E *see* Djilali-Saiah I *et al*
Harraf F *et al.* Subtypes of constipation predominant irritable bowel syndrome based on rectal perception, **388**
Harris A *see* Bateson MC *et al*
Harris JRW *see* Batman PA *et al*
Hart AR *et al.* Flat adenomas exist in asymptomatic people: important implications for colorectal cancer screening programmes, **229**
Hartley JE *see* Nicholson AA *et al*
Haskard D *see* Bhatti M *et al*
Hawkey CJ *see* Hull MA *et al*
Hawkey CJ. Naproxen sodium did not lead to substantially more upper gastrointestinal tract bleeding than ibuprofen during short term use as an analgesic: *commentator*, **315**
Hawkey CJ *et al.* Omeprazole led to greater remission rate than misoprostol for ulcers associated with non-steroidal anti-inflammatory drugs: *abstract*, **744**
Hayashi Y *see* Suzuki S *et al*
Haycox A *see* Crawley JA and Haycox A
Hayes N *see* Karat D *et al*
Hayllar J *see* Sigthorsson G *et al*
Haynes B *see* Fairclough P and Haynes B
Hazama H *see* Ohba K *et al*
Heathcote EJ *see* Cauch-Dudek K *et al*
Hedström J *see* Borgström A *et al*
Heggie LJ *see* McLaughlin JT *et al*
Heider K-H *see* Reinisch W *et al*
Heinimann K *et al.* Phenotypic differences in familial adenomatous polyposis based on APC gene mutation status, **675**
Hemingway AP, Allison DJ. Colonic embolisation: useful but caution required: *commentary*, **4**
Hiwatashi N *see* Noguchi M *et al*
Ho KY *et al.* Non-cardiac, non-oesophageal chest pain: the relevance of psychological factors, **105**
Hochberger J *et al.* Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**
Hodgson HJF *see* Bhatti M *et al*
Hodson R *see* Duthie GS *et al*

Hoekstra H *see* Vonk RJ *et al*
Hoffmann S *see* Stallmach A *et al*
Hofmann AF. Progress in idiopathic bile acid malabsorption: *commentary*, **738**
Hofstra RMW *see* Sijmons RH *et al*
Holloway RH *see* Lidums I *et al*
Holm K *see* Reunala T *et al*
Holton J *see* Vaira D *et al*
Holzer P *see* Hammer J *et al*
Homan A *see* Bateson MC *et al*
Homann N *see* Oneta CM *et al*
Hoyland JA *see* Goddard CJR *et al*
Hubscher S *see* Tang H *et al*
Hughes MAP *see* Duthie GS *et al*
Hull MA *et al.* Expression of basic fibroblast growth factor in intact and ulcerated human gastric mucosa, **525**
Hungin APS *see* Kennedy TM *et al*
Husler J *see* Netzer P *et al*
Hutt AJ *see* Mahmud T *et al*

Ikuno N *see* Ohba K *et al*
Ilyas M *et al.* Loss of Bcl-2 expression correlates with tumour recurrence in colorectal cancer, **383**
Imaoka A *see* Matsumoto S *et al*
Imbesi V *see* Maconi G *et al*
Ishikawa H *see* Ueyama H *et al*
Ishiwata T *et al.* Enhanced fibroblast growth factor 5 expression in stromal and exocrine elements of the pancreas in chronic pancreatitis, **134**
Isozaki K *see* Ueyama H *et al*
Itoh H *see* Suzuki S *et al*
Iwao T *et al.* Effect of meal induced splanchnic arterial vasodilatation on renal arterial haemodynamics in normal subjects and patients with cirrhosis, **843**

Jaby O *see* Besnard M *et al*
Jackson HA *see* Fairbanks VF *et al*
Jacob M *see* Mahmud T *et al*
Jacobsen NO *see* Osman MO *et al*
James OFW *see* Grove J *et al*
see Newton JL *et al*
Janardham R *see* Stadnicki A *et al*
Jansen JBMJ *see* Laheij RJF *et al*
Janssens J *see* Coulie B *et al*
Javlé P *et al.* Hepatosplanchnic haemodynamics and renal blood flow and function in rats with liver failure, **272**
Jeanneton O *et al.* Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
Jenkins D *see* Hull MA *et al*
Jenkins SA *see* Javlé P *et al*
Jenkins SA *et al.* Octreotide followed by sclerotherapy was not more effective than emergency injection sclerotherapy for acute variceal haemorrhage: *abstract*, **9**
Jenks PJ *et al.* Clinical outcome after infection with *Helicobacter pylori* does not appear to be reliably predicted by the presence of any of the genes of the *cag* pathogenicity island, **752**
Jensen SL *see* Osman MO *et al*
Jeppesen PB, Mortensen PB. The influence of a preserved colon on the absorption of medium chain fat in patients with small bowel resection, **478**
Jeppesen PB *et al.* Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection, **763**
Johnson AG *see* Smythe A *et al*
Jolobe OMP, Lam SK. Treatment of *Helicobacter pylori infection: letter*, **148**
Jones RB *see* Bardhan KD *et al*
Jones RH *see* Kennedy TM *et al*
Jordan N *see* Newton JL *et al*
Juhász L *see* Yeomans ND *et al*

Kahan A *see* Perlemuter G *et al*
Kajihara S *see* Ozaki I *et al*
Kakkar AK *see* Taniguchi T *et al*
Kaltwasser JP *et al.* Clinical trial on the effect of regular tea drinking on iron accumulation in genetic haemochromatosis, **699**
Kanai F *see* Maeda S *et al*
Kanayama S *see* Ueyama H *et al*
Kaneko K *et al.* Early gastric stump cancer following distal gastrectomy, **342**
Kang JY *see* Ho KY *et al*
Kapembwa MS *see* Batman PA *et al*
Karat D *et al.* Screening young people for gastric cancer: *letter*, **586**
Karmeli F *see* Rachmilewitz D *et al*
Karrasch JA *see* Hawkey CJ *et al*
Katelaris PH *see* Zhang ZW *et al*
Kaunitz JD *see* Tanaka S *et al*
Kawasaki K *see* Suzuki S *et al*
Keighley MR *see* Woodward JM *et al*
Kellow JE *see* Bennett EJ *et al*
Kelly P *see* Kennedy TM *et al*
Kemppainen E *see* Borgström A *et al*
Kennedy TM *et al.* Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population, **770**
Kim SR *see* Suzuki S *et al*
Kim Y-I *see* Choi S-W *et al*
Kingham JGC *see* Fidler HM *et al*
Kinoshita H *see* Ohba K *et al*
Kitamura S *see* Ueyama H *et al*
Kiyohara T *see* Ueyama H *et al*
Kletter K *see* Hammer J *et al*
Kobayashi M *see* Futagami S *et al*
Koetse HA *see* Vonk RJ *et al*
Köhne G *see* Stallmach A *et al*
Kohno S *see* Ohba K *et al*
Kolios G *et al.* Expression of inducible nitric oxide synthase activity in human colon epithelial cells: modulation by T lymphocyte derived cytokines, **56**
Kollias N *see* Werner J *et al*
Kondo H *see* Kaneko K *et al*
Kondo S *see* Ueyama H *et al*
Korc M *see* Friess H *et al*
see Ishiwata T *et al*
Kornmann M *see* Ishiwata T *et al*
Korsten MA *see* Apte MV *et al*
Krejs GJ *see* Hammer J *et al*
Kristensen JU *see* Osman MO *et al*
Kudo S *see* Hart AR *et al*
Kuiken BW *see* van Sandick JW *et al*
Kuroda Y *see* Suzuki S *et al*
Kynaston HG *see* Javlé P *et al*

Labigne A *see* Jenks PJ *et al*
Laheij RJF *et al.* Cost effectiveness of treatment for gastro-oesophageal reflux: *letter*, **728**
Laken SJ *see* Brensinger JD *et al*
Lakshmanan J *see* Egger B *et al*
Lam SK *see* Jolobe OMP and Lam SK
Landi F *see* Vaira D *et al*
Langlois Y *see* Jeanneton O *et al*
Langman M, Boyle P. Chemoprevention of colorectal cancer: *review*, **578**
Langman MJS. Omeprazole led to greater remission rate than misoprostol for ulcers associated with non-steroidal anti-inflammatory drugs, Omeprazole was more effective for healing and preventing relapse of ulcers associated with long term NSAID use: *commentator*, **746**
Larsen CG *see* Osman MO *et al*
Lausten SB *see* Osman MO *et al*
Lawless S *see* Fairbanks VF *et al*
le Bars J *see* Jeanneton O *et al*
le Bars P *see* Jeanneton O *et al*
Lee JM, O'Morain CA. Different management for *Helicobacter pylori* positive and negative patients with gastro-oesophageal reflux disease?, **S14 (Suppl 1)**
Lee PWR *see* Nicholson AA *et al*
Lemoine NR *see* Taniguchi T *et al*
see Todryk SM *et al*
Leone N *see* Troncone R *et al*
Levitt MD *see* Suarez FL *et al*
Lewandrowski KB *see* Werner J *et al*
Lewison G. Gastroenterology research in the United Kingdom: funding sources and impact, **288**
Lidums I *et al.* Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**
Links TP *see* Sijmons RH *et al*
Liptay S *see* Schmid RM *et al*
Liu Z *see* Noguchi M *et al*
Logan RFA *see* Duggan AE *et al*
Logan RPH. Urea breath tests in the management of *Helicobacter pylori* infection, **S47 (Suppl 1)**
Lorenzet R *see* Saliola M *et al*
Louis H *see* van Laethem J-L *et al*
Lu Z *see* Friess H *et al*
Lucas S *see* Batman PA *et al*
Luce MC *see* Brensinger JD *et al*
Luzza F *see* Monteleone G *et al*
Lynch HT, Watson P. AFAP: variety is the spice of life: *commentary*, **451**
Multiple HNPCC tumours: ask the family!: *commentary*, **596**

Maas SM *see* Sijmons RH *et al*
McCaughan GW *see* Apte MV *et al*
MacDonald TT. Depletion of the enteric nervous system by gene targeting results in haemorrhagic necrosis of the ileum: *science alert*, **742**
McIntyre N *see* Fidler HM *et al*
Mackay EH *see* Hart AR *et al*
McLaughlin JT *et al.* Evidence for a lipid specific effect in nutrient induced human proximal gastric relaxation, **248**

McMahon RFT *see* Goddard CJR *et al*
McMillan SA *see* Dickey W and McMillan SA
McMorrow M *see* Fidler HM *et al*
Maconi G *et al.* Factors affecting splanchnic haemodynamics in Crohn's disease: a prospective controlled study using Doppler ultrasound, **645**
Macpherson A *see* Sigthorsson G *et al*
Madeira I *et al.* Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
Maeda S *et al. Helicobacter pylori* specific nested PCR assay for the detection of 23S rRNA mutation associated with clarithromycin resistance, **317**
Mahida YR *see* Sanfilippo L *et al*
Mahmud T *et al.* Enantiomers of flurbiprofen can distinguish key pathophysiological steps of NSAID enteropathy in the rat, **775**
Maiss J *see* Hochberger J *et al*
Majeed AW *see* Smythe A *et al*
Mäki M *see* Reunala T *et al*
Malagelada J-R *see* Vaquero E *et al*
Malfertheiner P *see* Hackelsberger A *et al*
see Peitz U *et al*
Manes G *see* Hackelsberger A *et al*
Manifold DK *see* Marshall REK *et al*
Manns MP *see* Ockenga J *et al*
Marcon MA *see* Sylvester FA *et al*
Maria G *et al.* Botulinum toxin promoted healing and relieved symptoms of chronic anal fissure: *abstract*, **601**
Maria VAJ *see* Bartle WR *et al*
Marshall REK *et al.* Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**
Martinez M *see* Oneta CM *et al*
Martinoli S *see* Heinimann K *et al*
Mason JB *see* Choi S-W *et al*
Massardi B *see* Vaira D *et al*
Masuda J *see* Ohba K *et al*
Mathers JC *see* Green SE *et al*
Mathie RT *see* Al-Mufti RA *et al*
Matsumoto S *et al.* Inflammatory bowel disease-like enteritis and caecitis in a senescence accelerated mouse P1/Yit strain, **71**
Matsuo I *see* Ohba K *et al*
Matsushima K *see* Osman MO *et al*
Matsuzawa Y *see* Ueyama H *et al*
Maurer C *see* Netzer P *et al*
May A *see* Ell C *et al*
see Hochberger J *et al*
Mayberry JF *see* Hart AR *et al*
Mayer EA *see* Harraf F *et al*
Mayer M *see* Troncone R *et al*
Mazzarella G *see* Troncone R *et al*
Mégraud F *see* Jenks PJ *et al*
Mégraud F, Doermann HP. Clinical relevance of resistant strains of *Helicobacter pylori*: a review of current data, **S61 (Suppl 1)**
Melchers K *see* Scott D *et al*
Melvin WT *see* Murray GI *et al*
Menegatti M *see* Peitz U *et al*
see Vaira D *et al*
Menozzi MG *see* Sanfilippo L *et al*
Menzies I *see* Sigthorsson G *et al*
Merryweather-Clarke AT *see* Fairbanks VF *et al*
Mertz H *see* Harraf F *et al*
Metcalf J *see* Yarze JC and Metcalf J
Miettinen A *see* Reunala T *et al*
Miller ARO *see* Batman PA *et al*
Mintchev MP *et al.* Microprocessor controlled movement of liquid gastric content using sequential neural electrical stimulation, **607**
Misiewicz JJ *see* Bateson MC *et al*
Mistry PK *see* Papatheodoridis GV *et al*
Mittal RK *see* Lidums I *et al*
Miyagawa J *see* Ueyama H *et al*
Miyamoto Y *see* Iwao T *et al*
Mizuta T *see* Ozaki I *et al*
Moayyedi P, Dixon MF. Any role left for invasive tests? Histology in clinical practice, **S51 (Suppl 1)**
Molero X *see* Vaquero E *et al*
Monson JR *see* Nicholson AA *et al*
Monson JRT *see* Duthie GS *et al*
Montalto G *see* Carroccio A *et al*
Monteleone G *see* Pallone F and Monteleone G
Monteleone G *et al.* Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7, **620**
Moody A *see* Batman PA *et al*
Moots R *see* Sigthorsson G *et al*
Morita Y *see* Suzuki S *et al*
Morito F *see* Ozaki I *et al*
Morris P *see* Bardhan KD *et al*
Mortensen PB *see* Jeppesen PB and Mortensen PB
see Jeppesen PB *et al*
Moss SF *see* Shirin H and Moss SF
Mougenot JF *see* Besnard M *et al*
Mougenot J-F *see* Djilali-Saiah I *et al*
Moussaoui R *see* Bouhnik Y *et al*
Mowat AMcI. Dietary modifications: food dependent autoimmunity in coeliac disease: *science alert*, **599**
Muhldorfer S *see* Hochberger J *et al*
Muller H *see* Heinimann K *et al*
Muller-Molaian I *see* Stallmach A *et al*
Mullhaupt B *see* Heinimann K *et al*
Mullhaupt B *et al.* Lymphocytic colitis: clinical presentation and long term course, **629**
Mullner M *see* Reinisch W *et al*
Munakata J *see* Harraf F *et al*
Murphy CT *see* Kolios G *et al*
Murray GI *et al.* Matrix metalloproteinases and their inhibitors in gastric cancer, **791**
Mynott TL *see* Chandler DS and Mynott TL

Nagata S *see* Ueyama H *et al*
Nakai H *see* Sarnacki S *et al*
Nakamura T *see* Ohba K *et al*
see Suzuki S *et al*
Nakano R *see* Iwao T *et al*
Naliboff B *see* Harraf F *et al*
Navaglia F *see* Basso D *et al*
Navarro J *see* Besnard M *et al*
Neal KR *see* Duggan AE *et al*
Netzer P *et al.* Risk factor assessment of endoscopically removed malignant colorectal polyps, **669**
Neuberger J *see* Tang H *et al*
Neurath MF *et al.* Role of NF-κB in immune and inflammatory responses in the gut: *review*, **856**
Neuweiler J *see* Netzer P *et al*
Newton JL *et al. Helicobacter pylori* in vivo causes structural changes in the adherent gastric mucus layer but barrier thickness is not compromised, **470**
Nexø E *see* Poulsen SS *et al*
Nezu R *see* Ueyama H *et al*
Ng WL *see* Ho KY *et al*
Niazi N *see* Harraf F *et al*
Nicholson AA *et al.* Transcatheter coil embolotherapy: a safe and effective option for major colonic haemorrhage, **79**
Nikolaus S *see* Schmid RM *et al*
Nilius M *see* Hackelsberger A *et al*
Noguchi M *et al.* Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
Norkrans G *see* Reichard O *et al*
Norose Y *see* Futagami S *et al*
Norton ID *see* Apte MV *et al*
Nunes DP *see* Fenlon HM *et al*

Öberg K *see* Granberg D *et al*
Oberhuber G *see* Reinisch W *et al*
Obertop H *see* van Sandick JW *et al*
Ockenga J *et al.* Steatorrhoea and pancreatic disease in HIV infected patients: *letter*, **147**
Oderda G. Management of *Helicobacter pylori* infection in children, **S10 (Suppl 1)**
Offerhaus GJA *see* van Sandick JW *et al*
O'Flanagan H *see* Kennedy TM *et al*
Ogura K *see* Maeda S *et al*
Ohba K *et al.* Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**
Ohlsson K *see* Borgström A *et al*
Oho K *see* Iwao T *et al*
Ohta K *see* Suzuki S *et al*
Ohtani T *see* Ueyama H *et al*
Ohtsuka J *see* Matsumoto S *et al*
Okabe Y *see* Matsumoto S *et al*
Okada Y *see* Matsumoto S *et al*
Okon E *see* Rachmilewitz D *et al*
Oliver L *see* Newton JL *et al*
Omagari K *see* Ohba K *et al*
Omata M *see* Maeda S *et al*
O'Morain CA *see* Lee JM and O'Morain CA
Oneta CM *et al.* First pass metabolism of ethanol is strikingly influenced by the speed of gastric emptying, **612**
O'Reilly N *see* Ellis HJ *et al*
Osman MO *et al.* A monoclonal anti-interleukin 8 antibody (WS-4) inhibits cytokine response and acute lung injury in experimental severe acute necrotising pancreatitis in rabbits, **232**
Otto SJ *see* Mintchev MP *et al*
Oudghiri A *see* Bouhnik Y *et al*
Owen WA *see* Marshall REK *et al*
Owen WJ *see* Marshall REK *et al*
Ozaki I *et al.* Differential expression of laminin receptors in human hepatocellular carcinoma, **837**

Pacy J *see* Mahmud T *et al*
Pallone F *see* Monteleone G *et al*
Pallone F, Monteleone G. Interleukin 12 and Th1 responses in inflammatory bowel disease: *leader*, **735**
Pandha H *see* Todryk SM *et al*

Papatheodoridis GV *et al.* Ulcerative colitis has an aggressive course after orthotopic liver transplantation for primary sclerosing cholangitis, **639**
Parente F *see* Maconi G *et al*
Parés X *see* Oneta CM *et al*
Park YH *see* Diav-Citrin O *et al*
Parker DR *see* Fidler HM *et al*
Parrello T *see* Monteleone G *et al*
Parsonnet J. *Helicobacter pylori*: the size of the problem, **S6 (Suppl 1)**
Parsons KF *see* Javlé P *et al*
Partridge J *see* Fairbanks VF *et al*
Patch D *see* Chau TN *et al*
Patchett SE *see* Zhang ZW *et al*
Patterson J *see* Bardhan KD *et al*
Pearson J *see* Newton JL *et al*
Peeters T *see* Coulie B *et al*
Peitz U *et al.* The European meeting on *Helicobacter pylori*: therapeutic news from Lisbon, **S66 (Suppl 1)**
Pellegrino S *see* Fracchia M *et al*
Penniment M *see* Yeoh EK *et al*
Peny MO *see* van Laethem J-L *et al*
Pera A *see* Fracchia M *et al*
Perlemuter G *et al.* Chronic intestinal pseudo-obstruction in systemic lupus erythematosus, **117**
Perrett D *see* Zhang ZW *et al*
Perri F *see* Galmiche JP *et al*
Peters M *see* Bhatti M *et al*
Petersen GM *see* Brensinger JD *et al*
Petritsch W *see* Hammer J *et al*
Peuchmaur M *see* Besnard M *et al*
Phillips AD. The medium is the messenger: *science alert*, **456**
Phillips RKS. Botulinum toxin promoted healing and relieved symptoms of chronic anal fissure: *commentator*, **601**
Ileal pouch-anal anastomosis for Crohn's disease: *leader*, **303**
Piesse C *see* Bennett EJ *et al*
Pikkarainen P *see* Reunala T *et al*
Pillai S *see* Cariappa A *et al*
Pirola RC *see* Apte MV *et al*
Piva MG *see* Basso D *et al*
Platzer U *see* Hackelsberger A *et al*
Plebani M *see* Basso D *et al*
Podolsky DK *see* Cariappa A *et al*
Pointon JJ *see* Fairbanks VF *et al*
Polak J *see* Bardhan KD *et al*
Porchet N *see* Buisine MP *et al*
Porro GB *see* Maconi G *et al*
Poulsen SS *et al.* Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**
Pounder RE *see* Walmsley RS *et al*
Powe DG *see* Hull MA *et al*
Powell LW *see* Fairbanks VF *et al*
Powell SM *see* Brensinger JD *et al*
Pozio E *see* Rossi P *et al*
Procaccino F *see* Egger B *et al*
Pudney J *see* Batman PA *et al*
Puig-Diví V *see* Vaquero E *et al*

Quirke P *see* Brown SR *et al*

Rachmilewitz D *et al.* Hyperbaric oxygen: a novel modality to ameliorate experimental colitis, **512**
Rafi S *see* Mahmud T *et al*
Raha-Chowdhury R *see* Fairbanks VF *et al*
Raimes SA *see* Karat D *et al*
Rambaud JC *see* Bouhnik Y *et al*
Rattner DW *see* Werner J *et al*
Reichard O *et al.* Adding ribavirin to interferon α-2b for chronic hepatitis C infection increased virological response and nausea: *abstract*, **602**
Reinisch W *et al.* Poor diagnostic value of colonic CD44v6 expression and serum concentrations of its soluble form in the differentiation of ulcerative colitis from Crohn's disease, **375**
Reitsma PH *see* Stokkers PCF *et al*
Ren J *see* Dua K *et al*
Reunala T *et al.* Tolerance to oats in dermatitis herpetiformis, **490**
Révillon Y *see* Sarnacki S *et al*
Ricci C *see* Vaira D *et al*
Rickaert F *see* van Laethem J-L *et al*
Riecken EO *see* von Marschall Z *et al*
Riemann JF *see* Adamek HE *et al*
Righi E *see* Rossi P *et al*
Rivasi F *see* Rossi P *et al*
Rivera JA *see* Werner J *et al*
Robberecht P *see* van Laethem J-L *et al*
Robertson DAF *see* Kolios G *et al*
Robson KJH *see* Fairbanks VF *et al*
Roessner A *see* Hackelsberger A *et al*
Rolles K *see* Papatheodoridis GV *et al*
Rooney N *see* Kolios G *et al*
Roorda P *see* Bateson MC *et al*
Roos D *see* Yeoh EK *et al*
Rosella O *see* Gibson PR *et al*
Rosemurgy AS II *et al.* Transjugular intrahepatic portosystemic shunt was not more cost effective than H graft portacaval shunt for bleeding varices: *abstract*, **11**
Rosenberg WMC *see* Fairbanks VF *et al*
Rosen-Bronson S *see* Ellis HJ *et al*
Roseth A *see* Mahmud T *et al*
Rosewicz S *see* von Marschall Z *et al*
Rossi P *et al.* Gastric involvement in AIDS associated cryptosporidiosis, **476**
Roveroni G *see* Basso D *et al*
Rubenstein I *see* Rachmilewitz D *et al*
Ruchti C *see* Netzer P *et al*
Russo A *see* Maconi G *et al*
see Yeoh EK *et al*
Ruszniewski P *see* Madeira I *et al*

Saba L *see* Harraf F *et al*
Saccone GTP *see* Chen JWC *et al*
Sachar D. Exposure to mesalamine during pregnancy increased preterm deliveries (but not birth defects) and decreased birth weight: *commentator*, **316**
Sachs G *see* Scott D *et al*
Saeki S *see* Ohba K *et al*
Saito D *see* Kaneko K *et al*
Sakai T *see* Iwao T *et al*
see Ozaki I *et al*
Sakamoto I *see* Ohba K *et al*
Saliola M *et al.* Enhanced expression of monocyte tissue factor in patients with liver cirrhosis, **428**
Sallese M *see* Saliola M *et al*
Salvioli B *see* Stanghellini V *et al*
Sanders DSA *see* Woodward JM *et al*
Sandgren EP *see* Egger B *et al*
Sandle GI. Salt and water absorption in the human colon: a modern appraisal: *review*, **294**
Sands B *see* Cariappa A *et al*
Sanfilippo L *et al.* Heterogeneity in responses by primary adult human colonic epithelial cells to purified enterotoxin of *Bacteroides fragilis* , **651**
Sanmiguel CP *see* Mintchev MP *et al*
Sano T *see* Kaneko K *et al*
Sarnacki S *et al.* Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
Sartor RB *see* Stadnicki A *et al*
Sasako M *see* Kaneko K *et al*
Sato M *see* Iwao T *et al*
Sauer P *et al.* Transjugular intrahepatic portosystemic stent shunt reduced the rate of variceal rebleeding in patients with cirrhosis: *abstract*, **10**
Sauvanet A *see* Madeira I *et al*
Savidge TC *see* Buisine MP *et al*
Sawada N *see* Ueyama H *et al*
Schalk K *see* Kaltwasser JP *et al*
Schalm SW. Adding ribavirin to interferon α-2b for chronic hepatitis C infection increased virological response and nausea: *commentator*, **602**
Schäfer F *see* Stallmach A *et al*
Schönegg R *see* Netzer P *et al*
Schilling D *see* Adamek HE *et al*
Schinnar R *see* Strom BL *et al*
Schmassmann A *see* Netzer P *et al*
Schmid RM *see* Friess H *et al*
Schmid RM *et al.* Activation of NFκB in inflammatory bowel disease: *letter*, **587**
Schmitz J *see* Djilali-Saiah I *et al*
Schmulson M *see* Harraf F *et al*
Schneider HT *see* Ell C *et al*
Schneider T *see* Stallmach A *et al*
Schoemaker D *et al.* Annual colonoscopy, chest radiography, and computed tomography of the liver did not prolong survival in patients with colorectal cancer: *abstract*, **314**
Schreiber S *see* Schmid RM *et al*
Schultze V *see* Hackelsberger A *et al*
see Hackelsberger A *et al*
Scott D *see* Sigthorsson G *et al*
The life and death of *Helicobacter pylori* , **S56 (Suppl 1)**
Scott DL *see* Mahmud T *et al*
Scott RB *see* Xu Q-W *et al*
Scott RJ *see* Heinimann K *et al*
Secreto P *see* Fracchia M *et al*
Sedgwick PM *see* Batman PA *et al*
Segal I *et al. Helicobacter pylori*: the African enigma: *letter*, **300**
Seidl C *see* Kaltwasser JP *et al*
Seidman EG *see* Ballinger A *et al*
Seitz HK *see* Oneta CM *et al*
Serwadda D *see* Batman PA *et al*
Setoguchi Y *see* Ozaki I *et al*
Setoyama H *see* Matsumoto S *et al*
Severens JL *see* Laheij RJF *et al*

Sewankambo NK *see* Batman PA *et al*
Shaffer EA *see* Xu Q-W *et al*
Shaker R *see* Dua K *et al*
Sharma BC *et al.* Gall bladder motility after endoscopic sphincterotomy: *letter*, **146**
Shearman JD *see* Fairbanks VF *et al*
Sheers R, Chapman S. The buried bumper syndrome: a complication of percutaneous endoscopic gastrostomy: *letter*, **586**
Shepherd NA *see* Karat D *et al*
Shields R *see* Jenkins SA *et al*
Shimoyama T, Crabtree JE. Bacterial factors and immune pathogenesis in *Helicobacter pylori* infection, **S2 (Suppl 1)**
Shinomura Y *see* Ueyama H *et al*
Shirao K *see* Kaneko K *et al*
Shiratori Y *see* Maeda S *et al*
Shirin H, Moss SF. *Helicobacter pylori* induced apoptosis: *leader*, **592**
Shomaf M *see* Goddard CJR *et al*
Shuckett B *see* Sylvester FA *et al*
Sigthorsson G *see* Mahmud T *et al*
Sigthorsson G *et al.* Intestinal permeability and inflammation in patients on NSAIDs, **506**
Sijmons RH *et al.* Oncological implications of RET gene mutations in Hirschsprung's disease, **542**
Simanowski UA *see* Oneta CM *et al*
Simpson RJ *see* Mahmud T *et al*
Singh K *see* Sharma BC *et al*
Sitas F *see* Segal I *et al*
Skogseid B *see* Granberg D *et al*
Smith A *see* Goddard CJR *et al*
Smith JB *et al.* Dermatitis herpetiformis and cigarette smoking: *letter*, **732**
Smith SB *see* Smith JB *et al*
Smythe A *et al.* A requiem for the cholecystokinin provocation test?, **571**
Snow K *see* Fairbanks VF *et al*
Somasundaram S *see* Mahmud T *et al*
Sonnenberg A *see* El-Serag HB and Sonnenberg A
Spagnuolo MI *see* Carroccio A *et al*
Spencer J. Differentiating ulcerative colitis from Crohn's disease: false dawn for CD44: *commentary*, **310**
Springfield J *see* Suarez FL *et al*
Sroka R *see* Ell C *et al*
Stadnicka I *see* Stadnicki A *et al*
Stadnicki A *et al.* Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**
Stallmach A *et al.* Increased state of activation of CD4 positive T cells and elevated interferon γ production in pouchitis, **499**
Stanghellini V *et al.* Management of dyspeptic patients by general practitioners and specialists, **S21 (Suppl 1)**
Stauffer E *see* Netzer P *et al*
Staun M *see* Jeppesen PB *et al*
Stellaard F *see* Vonk RJ *et al*
Stellaard F, Geypens B. European interlaboratory comparison of breath $^{13}CO_2$ analysis, **S2 (Suppl 3)**
Stenman U-H *see* Borgström A *et al*
Stewart DE *see* Cauch-Dudek K *et al*
Stokkers PCF *et al.* Five genetic markers in the interleukin 1 family in relation to inflammatory bowel disease, **33**
Stolte M *see* Ell C *et al*
Stremmel W *see* Sauer P *et al*
Stridsberg M *see* Granberg D *et al*
Strom BL *et al.* Naproxen sodium did not lead to substantially more upper gastrointestinal tract bleeding than ibuprofen during short term use as an analgesic: *abstract*, **315**
Strugala V *see* Newton JL *et al*
Suarez FL *et al.* Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour, **100**
Sugiyama M *see* Sharma BC *et al*
Sui Z *see* Dua K *et al*
Sun WM *see* Yeoh EK *et al*
Suzuki S *et al.* Urokinase type plasminogen activator receptor expression in colorectal neoplasms, **798**
Swart GR *see* Weaver LT *et al*
Sylvester FA *et al.* Management of fibrosing pancreatitis in children presenting with obstructive jaundice, **715**
Szczepański L *see* Hawkey CJ *et al*

Tack J *see* Coulie B *et al*
Takahashi H *see* Futagami S *et al*
Takayama K *see* Matsumoto S *et al*
Talbot IC *see* Ilyas M *et al*
Tamburrini A *see* Rossi P *et al*
Tan DTM *see* Xu Q-W *et al*
Tanaka S *et al.* Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**
Tang H *et al.* Patterns of alcohol consumption after liver transplantation , **140**
Taniguchi T *et al.* Urokinase receptor is a key player in tumour progression: *commentary*, **739**
Tanikawa K *see* Iwao T *et al*
Tan-Sindhunata G *see* Sijmons RH *et al*
Tavares IA *see* Mahmud T *et al*
Tennant CC *see* Bennett EJ *et al*
ter Meulen V. Measles virus and Crohn's disease: view of a medical virologist: *leader*, **733**
Terris B *see* Madeira I *et al*
Theilmann L *see* Sauer P *et al*
Théorêt Y *see* Ballinger A *et al*
Thibodeau SN *see* Fairbanks VF *et al*
Thim L *see* Poulsen SS *et al*
Thomas HJW. Genetic instability in colorectal cancer: *commentary*, **450**
Thomas JE. ^{13}C urea breath test, **S7 (Suppl 3)**
Thompson DG *see* McLaughlin JT *et al*
Thompson M *see* Bardhan KD *et al*
Thulesen J *see* Poulsen SS *et al*
Tibble J *see* Sigthorsson G *et al*
Tjellesen L *see* Jeppesen PB *et al*
Todryk SM *et al.* Can immunotherapy by gene transfer tip the balance against colorectal cancer?: *leader*, **445**
Tokunaga S *see* Chau TN *et al*
Toma A *see* Basso D *et al*
Tomlinson IPM *see* Ilyas M *et al*
Toouli J *see* Chen JWC *et al*
Tosetti C *see* Stanghellini V *et al*
Toyonaga A *see* Iwao T *et al*
Toyota T *see* Noguchi M *et al*
Trevethick M *see* Black D and Trevethick M
Troncon LEA *see* McLaughlin JT *et al*
Troncone R *et al.* Gliadin activates mucosal cell mediated immunity in cultured rectal mucosa from coeliac patients and a subset of their siblings, **484**
Tulassay Z *see* Yeomans ND *et al*
Tytgat GNJ *see* Bateson MC *et al*
see Stokkers PCF *et al*
see van Sandick JW *et al*
Treatment of *Helicobacter pylori* infection: management of patients with ulcer disease by general practitioners and gastroenterologists, **S24 (Suppl 1)**

Ueyama H *et al.* High Fas ligand expression on lymphocytes in lesions of ulcerative colitis, **48**
Uhing MR. Effect of sodium ion coupled nutrient transport on intestinal permeability in chronically catheterised rats, **22**
Umesaki Y *see* Matsumoto S *et al*
Upton JD *see* Burt MJ *et al*
Usmani I *see* Duggan AE *et al*

Vaira D *see* Peitz U *et al*
Vaira D *et al.* Blood tests in the management of *Helicobacter pylori* infection, **S39 (Suppl 1)**
Vaishnavi A *see* Bardhan KD *et al*
Valori R *see* Karat D *et al*
van Aken BE *see* Stokkers PCF *et al*
Vance GH *see* Brensinger JD *et al*
van der Ende A *see* Bateson MC *et al*
van der Hulst RWM *see* Bateson MC *et al*
van Deventer SJH *see* Stokkers PCF *et al*
van Laethem J-L *et al.* Eradication of Barrett's mucosa with argon plasma coagulation and acid suppression: immediate and mid term results, **747**
Multisystemic production of interleukin 10 limits the severity of acute pancreatitis in mice, **408**
van Lanschot JJB *see* van Sandick JW *et al*
van Sandick JW *et al.* Impact of endoscopic biopsy surveillance of Barrett's oesophagus on pathological stage and clinical outcome of Barrett's carcinoma, **216**
Vaquero E *et al.* Contrasting effects of circulating nitric oxide and nitrergic transmission on exocrine pancreatic secretion in rats, **684**
Varma JS *see* Green SE *et al*
Veerasuntharam G *see* Diav-Citrin O *et al*
Verbeek ALM *see* Laheij RJF *et al*
Verghi F *see* Carroccio A *et al*
Vermey A *see* Sijmons RH *et al*
Victorino RMM *see* Bartle WR *et al*
Vile RG *see* Todryk SM *et al*
Vilgrain V *see* Madeira I *et al*
Violi F *see* Saliola M *et al*
Vonk RJ. Introduction, **S1 (Suppl 3)**
Vonk RJ *et al.* ^{13}C carbohydrate breath tests, **S20 (Suppl 3)**
von Marschall Z *et al.* Stromelysin 3 is overexpressed in human pancreatic carcinoma and regulated by retinoic acid in pancreatic carcinoma cell lines, **692**
Voss M *see* Madeira I *et al*
Vuolteenaho N *see* Reunala T *et al*

Waldherr R *see* Oneta CM *et al*
Walker AP *see* Fairbanks VF *et al*
Walker ARP *see* Segal I *et al*
Wallace DF *see* Fairbanks VF *et al*

Walmsley R *see* Fidler HM *et al*
Walmsley RS *et al.* A simple clinical colitis activity index, **29**
Walmsley TA *see* Burt MJ *et al*
Wang Y *see* Suzuki S *et al*
Warnes TW *see* Goddard CJR *et al*
Warshaw AL *see* Werner J *et al*
Wason C *see* Bardhan KD *et al*
Watson P *see* Lynch HT and Watson P
see Lynch HT and Watson P
Wayman J *see* Karat D *et al*
Weaver LT *et al.* ^{13}C mixed triglyceride breath test, **S13 (Suppl 3)**
Weber S *see* Stallmach A *et al*
Weber W *see* Heinimann K *et al*
Wechsler B *see* Perlemuter G *et al*
Wedgwood KR *see* Duthie GS *et al*
Weeks D *see* Scott D *et al*
Weitz M *see* Adamek HE *et al*
Weitzel JN *see* Choi S-W *et al*
Werner E *see* Kaltwasser JP *et al*
Werner J *et al.* On the protective mechanisms of nitric oxide in acute pancreatitis, **401**
Westwick J *see* Kolios G *et al*
Wijburg FA *see* Sijmons RH *et al*
Wilander E *see* Granberg D *et al*
Wilkinson K *see* Ilyas M *et al*
Wilkinson ML. Does laser lithotripsy hit the target?: *commentary*, **740**
Williamson RCN *see* Al-Mufti RA *et al*
see Al-Musawi D and Williamson RCN
Wilson JA. Swallowing is a precarious business: *commentary*, **453**
Wilson JS *see* Apte MV *et al*
Wollan PC *see* Fairbanks VF *et al*
Wood S *see* Zoli G *et al*
Woodward JM *et al.* Ischaemic enterocolitis complicating idiopathic dysautonomia, **285**
Worwood M *see* Fairbanks VF *et al*
Wrigglesworth JM *see* Mahmud T *et al*
Xu Q-W *et al.* Altered migrating myoelectrical complex in an animal model of cholesterol gallstone disease: the effect of erythromycin, **817**
Yamaguchi H *see* Kaneko K *et al*
Yamamoto K *see* Ozaki I *et al*
Yamao G *see* Kaneko K *et al*
Yamawaki M *see* Iwao T *et al*
Yarze JC, Metcalf J. Specificity of small bowel biopsy findings in coeliac disease: *letter*, **146**
Yates J *see* Javlé P *et al*
Yeo B *see* Ho KY *et al*
Yeoh EK *et al.* Acute effects of therapeutic irradiation for prostatic carcinoma on anorectal function, **123**
Yeomans ND *et al.* Omeprazole was more effective for healing and preventing relapse of ulcers associated with long term NSAID use: *abstract*, **745**
Yokota T *see* Kaneko K *et al*
Yoshida EM, Chung SW. Tomorrow's challenge in liver transplantation: diminishing the imbalance between donor organ availability and need: *letter*, **732**
Yoshida H *see* Maeda S *et al*
Yoshida S *see* Kaneko K *et al*
Young GP *see* Gibson PR *et al*

Zeitz M *see* Stallmach A *et al*
Zervos EE *see* Rosemurgy AS II *et al*
Zhang ZW *et al.* The relation between gastric vitamin C concentrations, mucosal histology, and CagA seropositivity in the human stomach, **322**
Zimmermann A *see* Friess H *et al*
Zoli G *et al.* Impaired splenic function and tuftsin deficiency in patients with intestinal failure on long term intravenous nutrition, **759**
Zone JJ *see* Smith JB *et al*
Zuin G *see* Carroccio A *et al*
Zwierstra RP *see* Sijmons RH *et al*

VOLUME 43 • SUBJECT INDEX

abscopal effect, Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**

absorption, The influence of a preserved colon on the absorption of medium chain fat in patients with small bowel resection, **478**

acetic acid colitis, Hyperbaric oxygen: a novel modality to ameliorate experimental colitis, **512**

acid suppression, Acid suppression and gastric atrophy: sifting fact from fiction, **S35 (Suppl 1)**

acute lung injury, A monoclonal anti-interleukin 8 antibody (WS-4) inhibits cytokine response and acute lung injury in experimental severe acute necrotising pancreatitis in rabbits, **232**

acute pancreatitis, A monoclonal anti-interleukin 8 antibody (WS-4) inhibits cytokine response and acute lung injury in experimental severe acute necrotising pancreatitis in rabbits, **232**

Do trypsin 2–α-1-antitrypsin complexes occur naturally in the circulation?: *letter,* **861**

Increased nitric oxide activity in a rat model of acute pancreatitis, **564**

On the protective mechanisms of nitric oxide in acute pancreatitis, **401**

acute variceal haemorrhage, Octreotide followed by sclerotherapy was not more effective than emergency injection sclerotherapy for acute variceal haemorrhage: *abstract,* **9**

adenoma-carcinoma sequence, Urokinase type plasminogen activator receptor expression in colorectal neoplasms, **798**

adenomatous polyposis coli gene, Phenotypic differences in familial adenomatous polyposis based on APC gene mutation status, **675**

adenomatous polyposis coli gene mutation, Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene, **548**

adult respiratory distress syndrome, Multisystemic production of interleukin 10 limits the severity of acute pancreatitis in mice, **408**

aging, Age and *Helicobacter pylori* decrease gastric mucosal surface hydrophobicity independently, **465**

AIDS, Gastric involvement in AIDS associated cryptosporidiosis, **476**

HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda, **350**

airway protection, Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**

alcohol, Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**

alcohol consumption, Patterns of alcohol consumption after liver transplantation, **140**

alcohol dehydrogenase, First pass metabolism of ethanol is strikingly influenced by the speed of gastric emptying, **612**

α-1-antitrypsin Do trypsin 2–α-1-antitrypsin complexes occur naturally in the circulation?: *letter,* **861**

aldosterone, Salt and water absorption in the human colon: a modern appraisal: *review,* **294**

amiloride, Salt and water absorption in the human colon: a modern appraisal: *review,* **294**

anaemia, Two way push videoenteroscopy in investigation of small bowel disease, **280**

angiodysplasia, Transcatheter coil embolotherapy: a safe and effective option for major colonic haemorrhage, **79**

angiography, Transcatheter coil embolotherapy: a safe and effective option for major colonic haemorrhage, **79**

anorectal function, Acute effects of therapeutic irradiation for prostatic carcinoma on anorectal function, **123**

anorexia, Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**

antibiotics, Clinical relevance of resistant strains of *Helicobacter pylori*: a review of current data, **S61 (Suppl 1)**

antibody production, Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**

anti-endomysial antibody, Coeliac disease: how much of what is toxic to whom?: *commentary,* **164**

anti-interleukin-8 antibody, A monoclonal anti-interleukin 8 antibody (WS-4) inhibits cytokine response and acute lung injury in experimental severe acute necrotising pancreatitis in rabbits, **232**

antral motility, Involvement of two different pathways in the motor effects of erythromycin on the gastric antrum in humans, **395**

apoptosis, Heterogeneity in responses by primary adult human colonic epithelial cells to purified enterotoxin of *Bacteroides fragilis*, **651**

High Fas ligand expression on lymphocytes in lesions of ulcerative colitis, **48**

bax, but not *bcl-2*, influences the prognosis of human pancreatic cancer, **414**

Helicobacter pylori induced apoptosis: *leader,* **592**

Importance of changes in epithelial cell turnover during *Helicobacter pylori* infection in gastric carcinogenesis, **S27 (Suppl 1)**

appendicectomy, Appendicectomy and childhood hygiene: different sides of the same coin?: *commentary,* **451**

Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**

argon plasma coagulation, Eradication of Barrett's mucosa with argon plasma coagulation and acid suppression: immediate and mid term results, **747**

argon plasma coagulator, A light at the end of the tunnel: *commentary,* **737**

ascorbic acid, The relation between gastric vitamin C concentrations, mucosal histology, and CagA seropositivity in the human stomach, **322**

aspirin, Intestinal permeability and inflammation in patients on NSAIDs, **506**

asthma, Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population, **770**

atropine, Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**

Involvement of two different pathways in the motor effects of erythromycin on the gastric antrum in humans, **395**

attenuated adenomatous polyposis coli, Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene, **548**

autoradiography, Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**

axon reflex, Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain, **252**

B lymphocytes, Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**

bacterial factors, Bacterial factors and immune pathogenesis in *Helicobacter pylori* infection, **S2 (Suppl 1)**

Bacteroides fragilis, Heterogeneity in responses by primary adult human colonic epithelial cells to purified enterotoxin of *Bacteroides fragilis*, **651**

Barrett's adenocarcinoma, Eradication of Barrett's mucosa with argon plasma coagulation and acid suppression: immediate and mid term results, **747**

Barrett's oesophagus, A light at the end of the tunnel: *commentary,* **737**

Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**

Eradication of Barrett's mucosa with argon plasma coagulation and acid suppression: immediate and mid term results, **747**

Impact of endoscopic biopsy surveillance of Barrett's oesophagus on pathological stage and clinical outcome of Barrett's carcinoma, **216**

Intestinal metaplasia at the gastro-oesophageal junction: *Helicobacter pylori* gastritis or gastro-oesophageal reflux disease?, **17**

basic fibroblast growth factor, Expression of basic fibroblast growth factor in intact and ulcerated human gastric mucosa, **525**

Bcl-2, Loss of Bcl-2 expression correlates with tumour recurrence in colorectal cancer, **383**

bile acids, Biliary lipid composition in idiopathic bile acid malabsorption, **812**

bile duct obstruction, A prospective evaluation of magnetic resonance cholangiopancreatography in patients with suspected bile duct obstruction, **680**

MRCP: examining the obstructed bile duct: *commentary,* **597**

bile duct stones, Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**

biliary lipids, Biliary lipid composition in idiopathic bile acid malabsorption, **812**

bilirubin monitoring, Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**

blood tests, Blood tests in the management of *Helicobacter pylori* infection, **S39 (Suppl 1)**

bone metastasis, Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**

botulinium toxin, Botulinum toxin promoted healing and relieved symptoms of chronic anal fissure: *abstract,* **601**

bradykinin 2 receptor, Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**

breath $^{13}CO_2$ analysis, European interlaboratory comparison of breath $^{13}CO_2$ analysis, **S2 (Suppl 3)**

bromelain, Bromelain protects piglets from diarrhoea caused by oral challenge with K88 positive enterotoxigenic *Escherichia coli*, **196**

Budd-Chiari syndrome, Prevalence of the factor V Leiden mutation in portal and hepatic vein thrombosis: *letter,* **147**
butyrate, Salt and water absorption in the human colon: a modern appraisal: *review,* **294**

^{13}C carbohydrate breath tests ^{13}C carbohydrate breath tests, **S20 (Suppl 3)**
^{13}C mixed triglyceride breath test ^{13}C mixed triglyceride breath test, **S13 (Suppl 3)**
^{13}C octanoic acid breath test ^{13}C octanoic acid breath test, **S28 (Suppl 3)**
^{13}C protein breath tests ^{13}C protein breath tests, **S23 (Suppl 3)**
^{13}C urea breath test ^{13}C urea breath test, **S7 (Suppl 3)**
^{13}C urea breath test for measurement of liver function, **S25 (Suppl 3)**
C282Y, H63D is an haemochromatosis associated allele: *letter,* **441**
caecitis, Inflammatory bowel disease-like enteritis and caecitis in a senescence accelerated mouse P1/Yit strain, **71**
caerulein induced pancreatitis, Increased nitric oxide activity in a rat model of acute pancreatitis, **564**
***cag* pathogenicity island,** Clinical outcome after infection with *Helicobacter pylori* does not appear to be reliably predicted by the presence of any of the genes of the *cag* pathogenicity island, **752**
cagA, Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**
capsaicin, Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain, **252**
carbon 13, Urea breath tests in the management of *Helicobacter pylori* infection, **S47 (Suppl 1)**
carbon 14, Urea breath tests in the management of *Helicobacter pylori* infection, **S47 (Suppl 1)**
CD44, Differentiating ulcerative colitis from Crohn's disease: false dawn for CD44: *commentary,* **310**
CD44 variant 6, Poor diagnostic value of colonic CD44v6 expression and serum concentrations of its soluble form in the differentiation of ulcerative colitis from Crohn's disease, **375**
CD95, Life (and death) in the Fas lane: *commentary,* **5**
cell differentiation, Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
cell proliferation, Colonic epithelial cell proliferation in hereditary non-polyposis colorectal cancer, **85**
Importance of changes in epithelial cell turnover during *Helicobacter pylori* infection in gastric carcinogenesis, **S27 (Suppl 1)**
charcoal, Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour, **100**
chemoprevention, Chemoprevention of colorectal cancer: *review,* **578**
chest pain, Non-cardiac, non-oesophageal chest pain: the relevance of psychological factors, **105**
childhood hygiene, Appendicectomy and childhood hygiene: different sides of the same coin?: *commentary,* **451**
Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**
children, Management of fibrosing pancreatitis in children presenting with obstructive jaundice, **715**
Management of *Helicobacter pylori* infection in children, **S10 (Suppl 1)**
Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
Postoperative outcome of Crohn's disease in 30 children, **634**
cholangioscopy, Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**
cholcystokinin provocation test, Cholecystokinin infusion: assessing a rather provocative test: *commentary,* **454**
cholecystectomy, A requiem for the cholecystokinin provocation test?, **571**
cholecystokinin, A requiem for the cholecystokinin provocation test?, **571**
choledocholithiasis, Does laser lithotripsy hit the target?: *commentary,* **740**
cholesterol saturation index, Altered migrating myoelectrical complex in an animal model of cholesterol gallstone disease: the effect of erythromycin, **817**
Biliary lipid composition in idiopathic bile acid malabsorption, **812**
cholinergic control, Involvement of two different pathways in the motor effects of erythromycin on the gastric antrum in humans, **395**
chromogranin, Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids, **223**
chronic anal fissure, Botulinum toxin promoted healing and relieved symptoms of chronic anal fissure: *abstract,* **601**
chronic diarrhoea, Two way push videoenteroscopy in investigation of small bowel disease, **280**
chronic gastritis, Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**
chronic hepatitis C, Adding ribavirin to interferon α-2b for chronic hepatitis C infection increased virological response and nausea: *abstract,* **602**
chronic intestinal pseudo-obstruction, Chronic intestinal pseudo-obstruction in systemic lupus erythematosus, **117**
chronic life stress threat, Level of chronic life stress predicts clinical outcome in irritable bowel syndrome, **256**
chronic pancreatitis, Enhanced fibroblast growth factor 5 expression in stromal and exocrine elements of the pancreas in chronic pancreatitis, **134**
cigarette smoking, Dermatitis herpetiformis and cigarette smoking: *letter,* **732**
Swallowing is a precarious business: *commentary,* **453**
cirrhosis, Effect of meal induced splanchnic arterial vasodilatation on renal arterial haemodynamics in normal subjects and patients with cirrhosis, **843**
Thrombelastographic changes and early rebleeding in cirrhotic patients with variceal bleeding, **267**
Transjugular intrahepatic portosystemic stent shunt reduced the rate of variceal rebleeding in patients with cirrhosis: *abstract,* **10**
citations, Gastroenterology research in the United Kingdom: funding sources and impact, **288**
clarithromycin, Clinical relevance of resistant strains of *Helicobacter pylori*: a review of current data, **S61 (Suppl 1)**
Helicobacter pylori specific nested PCR assay for the detection of 23S rRNA mutation associated with clarithromycin resistance, **317**
clinical practice, Any role left for invasive tests? Histology in clinical practice, **S51 (Suppl 1)**
clinical trials, Clinical trials in *Helicobacter pylori* infection: *letter,* **731**
Guidance for trials in *Helicobacter pylori* infection: *letter,* **731**
coeliac disease, Association between primary biliary cirrhosis and coeliac disease: *letter,* **300**
Coeliac disease: how much of what is toxic to whom?: *commentary,* **164**
CTLA-4 gene polymorphism is associated with predisposition to coeliac disease, **187**
Dietary modifications: food dependent autoimmunity in coeliac disease: *science alert,* **599**
Gliadin activates mucosal cell mediated immunity in cultured rectal mucosa from coeliac patients and a subset of their siblings, **484**
Measurement of gluten using a monoclonal antibody to a coeliac toxic peptide of A gliadin, **190**
Primary biliary cirrhosis and coeliac disease: a study of relative prevalences: *letter,* **300**
Specificity of small bowel biopsy findings in coeliac disease: *letter,* **146**
Tolerance to oats in dermatitis herpetiformis, **490**
colitis, Lymphocytic colitis: clinical presentation and long term course, **629**
Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
colon, The colon and PSC: new liver, new danger?: *commentary,* **595**
The influence of a preserved colon on the absorption of medium chain fat in patients with small bowel resection, **478**
Urokinase and the intestinal mucosa: evidence for a role in epithelial cell turnover, **656**
colon cancer, Folate depletion impairs DNA excision repair in the colon of the rat, **93**
Risk factor assessment of endoscopically removed malignant colorectal polyps, **669**
colonic epithelial cells, Expression of inducible nitric oxide synthase activity in human colon epithelial cells: modulation by T lymphocyte derived cytokines, **56**
colonic haemorrhage, Transcatheter coil embolotherapy: a safe and effective option for major colonic haemorrhage, **79**
colonic neoplasms, Colorectal neoplasm detection using virtual colonoscopy: a feasibility study, **806**
colonic transit, Subtypes of constipation predominant irritable bowel syndrome based on rectal perception, **388**
colonoscopy, Annual colonoscopy, chest radiography, and computed tomography of the liver did not prolong survival in patients with colorectal cancer: *abstract,* **314**
Risk factor assessment of endoscopically removed malignant colorectal polyps, **669**
colorectal adenoma, Urokinase type plasminogen activator receptor expression in colorectal neoplasms, **798**
colorectal cancer, Annual colonoscopy, chest radiography, and computed tomography of the liver did not prolong survival in patients with colorectal cancer: *abstract,* **314**
Can immunotherapy by gene transfer tip the balance against colorectal cancer?: *leader,* **445**
Chemoprevention of colorectal cancer: *review,* **578**
Genetic instability in colorectal cancer: *commentary,* **450**
Loss of Bcl-2 expression correlates with tumour recurrence in colorectal cancer, **383**
Multiple HNPCC tumours: ask the family!: *commentary,* **596**
Phenotypic differences in familial adenomatous polyposis based on APC gene mutation status, **675**
Urokinase type plasminogen activator receptor expression in colorectal neoplasms, **798**
common bile duct obstruction, Management of fibrosing pancreatitis in children presenting with obstructive jaundice, **715**
computed tomography, Colorectal neoplasm detection using virtual colonoscopy: a feasibility study, **806**

computer simulation, Colorectal neoplasm detection using virtual colonoscopy: a feasibility study, **806**
cost, Cost effectiveness of treatment for gastro-oesophageal reflux disease: *letter,* **729**
Crohn's disease, 6-Mercaptopurine metabolism in Crohn's disease: *letter,* **301**
Analysis of MHC class II DP, DQ and DR alleles in Crohn's disease, **210**
Appendicectomy and childhood hygiene: different sides of the same coin?: *commentary,* **451**
Differentiating ulcerative colitis from Crohn's disease: false dawn for CD44: *commentary,* **310**
Factors affecting splanchnic haemodynamics in Crohn's disease: a prospective controlled study using Doppler ultrasound, **645**
Five genetic markers in the interleukin 1 family in relation to inflammatory bowel disease, **33**
Ileal pouch-anal anastomosis for Crohn's disease: *leader,* **303**
Life (and death) in the Fas lane: *commentary,* **5**
Measles virus and Crohn's disease: view of a medical virologist: *leader,* **733**
Postoperative outcome of Crohn's disease in 30 children, **634**
Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
Visualising E-selectin in the detection and evaluation of inflammatory bowel disease, **40**
Cryptosporidium parvum, Gastric involvement in AIDS associated cryptosporidiosis, **476**
CTLA-4 gene, CTLA-4 gene polymorphism is associated with predisposition to coeliac disease, **187**
cytokine, Role of NF-κB in immune and inflammatory responses in the gut: *review,* **856**
cytokine gene polymorphisms, Five genetic markers in the interleukin 1 family in relation to inflammatory bowel disease, **33**
cytokines, A monoclonal anti-interleukin 8 antibody (WS-4) inhibits cytokine response and acute lung injury in experimental severe acute necrotising pancreatitis in rabbits, **232**

D-cell, The histamine H_1 receptor agonist N^{α}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
depression, Fatigue in primary biliary cirrhosis, **705**
dermatitis herpetiformis, Dermatitis herpetiformis and cigarette smoking: *letter,* **732**
Tolerance to oats in dermatitis herpetiformis, **490**
dextran sodium sulphate, Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
diaphragm, Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**
diarrhoea, Biliary lipid composition in idiopathic bile acid malabsorption, **812**
Bromelain protects piglets from diarrhoea caused by oral challenge with K88 positive enterotoxigenic*Escherichia coli*, **196**
Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection, **763**
Lymphocytic colitis: clinical presentation and long term course, **629**
dietary modifications, Dietary modifications: food dependent autoimmunity in coeliac disease: *science alert,* **599**
differential diagnosis, Poor diagnostic value of colonic CD44v6 expression and serum concentrations of its soluble form in the differentiation of ulcerative colitis from Crohn's disease, **375**
differentiation, Mucin gene expression in human embryonic and fetal intestine, **519**
disease activity, A simple clinical colitis activity index, **29**
diverticular disease, Transcatheter coil embolotherapy: a safe and effective option for major colonic haemorrhage, **79**
DNA analysis, Oncological implications of RET gene mutations in Hirschsprung's disease, **542**
DNA repair, Folate depletion impairs DNA excision repair in the colon of the rat, **93**
Doppler ultrasonography, Effect of meal induced splanchnic arterial vasodilatation on renal arterial haemodynamics in normal subjects and patients with cirrhosis, **843**
Doppler ultrasound, Factors affecting splanchnic haemodynamics in Crohn's disease: a prospective controlled study using Doppler ultrasound, **645**
drug hypersensitivity, Diagnostic value of T cell reactivity in drug induced hepatitis: *letter,* **730**
drug induced hepatitis, Diagnostic value of T cell reactivity in drug induced hepatitis: *letter,* **730**
duodenal ulcer, Clinical outcome after infection with *Helicobacter pylori* does not appear to be reliably predicted by the presence of any of the genes of the *cag* pathogenicity island, **752**
duodenal ulceration, Helicobacters are indigenous to the human stomach: duodenal ulceration is due to changes in gastric microecology in the modern era: *occasional viewpoint,* **721**
duodenogastric reflux, Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**
duodenogastro-oesophageal reflux, Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**
dyspepsia, Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population, **770**
Management of dyspeptic patients by general practitioners and specialists, **S21 (Suppl 1)**

early gastric cancer, Early gastric stump cancer following distal gastrectomy, **342**
Making light work of early gastric cancer: *commentary,* **309**
Photodynamic ablation of early cancers of the stomach by means of mTHPC and laser irradiation: preliminary clinical experience, **345**
early rebleeding, Thrombelastographic changes and early rebleeding in cirrhotic patients with variceal bleeding, **267**
economics, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: *letter,* **728**
Cost effectiveness of treatment for gastro-oesophageal reflux: *letter,* **728**
Transjugular intrahepatic portosystemic shunt was not more cost effective than H graft portacaval shunt for bleeding varices: *abstract,* **11**
embolisation, Transcatheter coil embolotherapy: a safe and effective option for major colonic haemorrhage, **79**
endocrine tumours, Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
endomysial antibody, Association between primary biliary cirrhosis and coeliac disease: *letter,* **300**
endoscopic sphincterotomy, Gall bladder motility after endoscopic sphincterotomy: *letter,* **146**
endoscopic surveillance, Impact of endoscopic biopsy surveillance of Barrett's oesophagus on pathological stage and clinical outcome of Barrett's carcinoma, **216**
endoscopic therapy, Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**
endoscopy, A light at the end of the tunnel: *commentary,* **737**
Early gastric stump cancer following distal gastrectomy, **342**
endotoxic shock, Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
energy, Evidence for a lipid specific effect in nutrient induced human proximal gastric relaxation, **248**
enteric nervous system, Depletion of the enteric nervous system by gene targeting results in haemorrhagic necrosis of the ileum: *science alert,* **742**
enteritis, Inflammatory bowel disease-like enteritis and caecitis in a senescence accelerated mouse P1/Yit strain, **71**
enterocolitis, Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**
enterocytes, Recognition by human gut γδ cells of stress inducible major histocompatibility molecules on enterocytes: *science alert,* **166**
enteropathogenic *Escherichia coli*, The medium is the messenger: *science alert,* **456**
enteropathy, Enantiomers of flurbiprofen can distinguish key pathophysiological steps of NSAID enteropathy in the rat, **775**
HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda, **350**
enteroscopy, Two way push videoenteroscopy in investigation of small bowel disease, **280**
enterotoxigenic *Escherichia coli*, Bromelain protects piglets from diarrhoea caused by oral challenge with K88 positive enterotoxigenic *Escherichia coli*, **196**
enterotoxin, Heterogeneity in responses by primary adult human colonic epithelial cells to purified enterotoxin of *Bacteroides fragilis,* **651**
epidemiology, *Helicobacter pylori*: the size of the problem, **S61 (Suppl 1)**
Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population, **770**
Screening young people for gastric cancer: *letter,* **586**
epidermal growth factor, Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
epithelial cells, Heterogeneity in responses by primary adult human colonic epithelial cells to purified enterotoxin of *Bacteroides fragilis,* **651**
epithelial proliferation, Urokinase and the intestinal mucosa: evidence for a role in epithelial cell turnover, **656**
eradication, *Helicobacter pylori* specific nested PCR assay for the detection of 23S rRNA mutation associated with clarithromycin resistance, **317**
erosive oesophagitis, Erosive oesophagitis: outcome of repeated long term maintenance treatment with low dose omeprazole 10 mg or placebo, **458**
erythromycin, Altered migrating myoelectrical complex in an animal model of cholesterol gallstone disease: the effect of erythromycin, **817**

E-selectin, Visualising E-selectin in the detection and evaluation of inflammatory bowel disease, **40**
EspA, The medium is the messenger: *science alert,* **456**
EspB, The medium is the messenger: *science alert,* **456**
ETEC receptors, Bromelain protects piglets from diarrhoea caused by oral challenge with K88 positive enterotoxigenic *Escherichia coli*, **196**
ethanol metabolism, First pass metabolism of ethanol is strikingly influenced by the speed of gastric emptying, **612**
evidence-based medicine, Clinical Alert: evidence-based medicine in *Gut*: *editorial*, **1**
experimental rat intestinal inflammation, Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
extracolonic lesions, Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene, **548**
extracolonic manifestations, Phenotypic differences in familial adenomatous polyposis based on APC gene mutation status, **675**

factor V Leiden mutation, Prevalence of the factor V Leiden mutation in portal and hepatic vein thrombosis: *letter,* **147**
familial adenomatous polyposis, AFAP: variety is the spice of life: *commentary,* **451**
Phenotypic differences in familial adenomatous polyposis based on APC gene mutation status, **675**
Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene, **548**
family history, Are relatives of patients with multiple HNPCC spectrum tumours at increased risk of cancer?, **664**
Fas ligand, High Fas ligand expression on lymphocytes in lesions of ulcerative colitis, **48**
Life (and death) in the Fas lane: *commentary,* **5**
fatigue, Fatigue in primary biliary cirrhosis, **705**
fibroblast growth factor, Enhanced fibroblast growth factor 5 expression in stromal and exocrine elements of the pancreas in chronic pancreatitis , **134**
fibrosis, Periacinar stellate shaped cells in rat pancreas: identification, isolation, and culture, **128**
first pass metabolism of ethanol, First pass metabolism of ethanol is strikingly influenced by the speed of gastric emptying, **612**
flat adenomas, Flat adenomas exist in asymptomatic people: important implications for colorectal cancer screening programmes, **229**
flatus, Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour, **100**
flexible sigmoidoscopy, A UK training programme for nurse practitioner flexible sigmoidoscopy and a prospective evaluation of the practice of the first UK trained nurse flexible sigmoidoscopist, **711**
Flat adenomas exist in asymptomatic people: important implications for colorectal cancer screening programmes, **229**
flurbiprofen, Enantiomers of flurbiprofen can distinguish key pathophysiological steps of NSAID enteropathy in the rat, **775**
folate, Folate depletion impairs DNA excision repair in the colon of the rat, **93**
food dependent autoimmunity, Dietary modifications: food dependent autoimmunity in coeliac disease: *science alert,* **599**
funding, Gastroenterology research in the United Kingdom: funding sources and impact, **288**

gall bladder motility, Gall bladder motility after endoscopic sphincterotomy: *letter,* **146**
gallstone disease, Altered migrating myoelectrical complex in an animal model of cholesterol gallstone disease: the effect of erythromycin, **817**
gastric adenocarcinoma, Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**
gastric atrophy, Acid suppression and gastric atrophy: sifting fact from fiction, **S35 (Suppl 1)**
gastric cancer, *Helicobacter pylori*: the African enigma: *letter,* **300**
Helicobacter pylori: the gastric cancer problem, **S33 (Suppl 1)**
Opposing time trends of peptic ulcer and reflux disease, **327**
Screening young people for gastric cancer: *letter,* **586**
gastric carcinogenesis, Importance of changes in epithelial cell turnover during *Helicobacter pylori* infection in gastric carcinogenesis, **S27 (Suppl 1)**
gastric carcinoids, Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids, **223**
gastric cardia, Intestinal metaplasia at the gastro-oesophageal junction: *Helicobacter pylori* gastritis or gastro-oesophageal reflux disease?, **17**
gastric defence mechanisms, Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**
gastric electrical stimulation, Microprocessor controlled movement of liquid gastric content using sequential neural electrical stimulation, **607**
gastric emptying, First pass metabolism of ethanol is strikingly influenced by the speed of gastric emptying, **612**
gastric injury, Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**
gastric juice, The relation between gastric vitamin C concentrations, mucosal histology, and CagA seropositivity in the human stomach, **322**
gastric location, Gastric involvement in AIDS associated cryptosporidiosis, **476**
gastric motility, Microprocessor controlled movement of liquid gastric content using sequential neural electrical stimulation, **607**
gastric mucosa, Expression of basic fibroblast growth factor in intact and ulcerated human gastric mucosa, **525**
The relation between gastric vitamin C concentrations, mucosal histology, and CagA seropositivity in the human stomach, **322**
gastric mucosal defence, Age and *Helicobacter pylori* decrease gastric mucosal surface hydrophobicity independently, **465**
gastric mucus, *Helicobacter pylori* in vivo causes structural changes in the adherent gastric mucus layer but barrier thickness is not compromised, **470**
gastric stump cancer, Early gastric stump cancer following distal gastrectomy, **342**
gastrinoma, Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
gastritis, Opposing time trends of peptic ulcer and reflux disease, **327**
gastroduodenal disease, Blood tests in the management of *Helicobacter pylori* infection, **S39 (Suppl 1)**
gastroenterology, Gastroenterology research in the United Kingdom: funding sources and impact, **288**
gastrointestinal bleeding, Two way push videoenteroscopy in investigation of small bowel disease, **280**
gastrointestinal cancer, Matrix metalloproteinases in gastrointestinal cancer: *leader,* **161**
gastrointestinal haemorrhage, Colonic embolisation: useful but caution required: *commentary,* **4**
gastrointestinal motor performance, Evidence for a lipid specific effect in nutrient induced human proximal gastric relaxation, **248**
gastro-oesophageal reflux, Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**
Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**
Eradication of Barrett's mucosa with argon plasma coagulation and acid suppression: immediate and mid term results, **747**
Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population, **770**
gastro-oesophageal reflux disease, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: *letter,* **728**
Cost effectiveness of treatment for gastro-oesophageal reflux disease: *letter,* **729**
Cost effectiveness of treatment for gastro-oesophageal reflux: *letter,* **728**
Different management for *Helicobacter pylori* positive and negative patients with gastro-oesophageal reflux disease?, **S14 (Suppl 1)**
Intestinal metaplasia at the gastro-oesophageal junction: *Helicobacter pylori* gastritis or gastro-oesophageal reflux disease?, **17**
Non-cardiac, non-oesophageal chest pain: the relevance of psychological factors, **105**
Opposing time trends of peptic ulcer and reflux disease, **327**
γδ cells Recognition by human gut γδ cells of stress inducible major histocompatibility molecules on enterocytes: *science alert,* **166**
gene targeting, Depletion of the enteric nervous system by gene targeting results in haemorrhagic necrosis of the ileum: *science alert,* **742**
gene transfer, Can immunotherapy by gene transfer tip the balance against colorectal cancer?: *leader,* **445**
general practitioners, Treatment of *Helicobacter pylori* infection: management of patients with ulcer disease by general practitioners and gastroenterologists, **S24 (Suppl 1)**
genetic haemochromatosis, Clinical trial on the effect of regular tea drinking on iron accumulation in genetic haemochromatosis, **699**
genetic susceptibility, Analysis of MHC class II DP, DQ and DR alleles in Crohn's disease, **210**
CTLA-4 gene polymorphism is associated with predisposition to coeliac disease, **187**
gliadin, Gliadin activates mucosal cell mediated immunity in cultured rectal mucosa from coeliac patients and a subset of their siblings, **484**
Measurement of gluten using a monoclonal antibody to a coeliac toxic peptide of A gliadin, **190**
gluten, Measurement of gluten using a monoclonal antibody to a coeliac toxic peptide of A gliadin, **190**
gluten-free diet, Tolerance to oats in dermatitis herpetiformis, **490**
gut epithelial cells, Life (and death) in the Fas lane: *commentary,* **5**

H63D, H63D is an haemochromatosis associated allele: *letter,* **441**
haemochromatosis, Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**
The significance of haemochromatosis gene mutations in the general population: implications for screening, **830**
haemodynamics, Hepatosplanchnic haemodynamics and renal blood flow and function in rats with liver failure, **272**
haemoglobin, Contrasting effects of circulating nitric oxide and nitrergic transmission on exocrine pancreatic secretion in rats, **684**

haemorrhagic necrosis, Depletion of the enteric nervous system by gene targeting results in haemorrhagic necrosis of the ileum: *science alert,* **742**
haemosiderosis, Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**
Helicobacter, Helicobacters are indigenous to the human stomach: duodenal ulceration is due to changes in gastric microecology in the modern era: *editorial,* **721**
***Helicobacter pylori* gastritis,** Intestinal metaplasia at the gastro-oesophageal junction: *Helicobacter pylori* gastritis or gastro-oesophageal reflux disease?, **17**
Helicobacter pylori, Age and *Helicobacter pylori* decrease gastric mucosal surface hydrophobicity independently, **465**
Any role left for invasive tests? Histology in clinical practice, **S51 (Suppl 1)**
Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**
Bacterial factors and immune pathogenesis in *Helicobacter pylori* infection, **S2 (Suppl 1)**
Clinical outcome after infection with *Helicobacter pylori* does not appear to be reliably predicted by the presence of any of the genes of the *cag* pathogenicity island, **752**
Clinical trials in *Helicobacter pylori* infection: *letter,* **731**
Different management for *Helicobacter pylori* positive and negative patients with gastro-oesophageal reflux disease?, **S14 (Suppl 1)**
Eradication of chronic *Helicobacter pylori* infection by therapeutic vaccination: *science alert,* **7**
Guidance for trials in *Helicobacter pylori* infection: *letter,* **731**
Importance of changes in epithelial cell turnover during *Helicobacter pylori* infection in gastric carcinogenesis, **S27 (Suppl 1)**
Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication: *letter,* **586**
Management of dyspeptic patients by general practitioners and specialists, **S21 (Suppl 1)**
Helicobacter pylori: the African enigma: *letter,* **300**
Helicobacter pylori induced apoptosis: *leader,* **592**
Helicobacter pylori: the gastric cancer problem, **S33 (Suppl 1)**
Helicobacter pylori: the size of the problem, **S6 (Suppl 1)**
The European meeting on *Helicobacter pylori*: therapeutic news from Lisbon, **S66 (Suppl 1)**
The life and death of *Helicobacter pylori*, **S56 (Suppl 1)**
Treatment of *Helicobacter pylori* infection: management of patients with ulcer disease by general practitioners and gastroenterologists, **S24 (Suppl 1)**
Treatment of *Helicobacter pylori*: future therapeutic and prophylactic perspectives, **S70 (Suppl 1)**
Urea breath tests in the management of *Helicobacter pylori* infection, **S47 (Suppl 1)**
One week triple therapy for *Helicobacter pylori*: *letter,* **148**
Opposing time trends of peptic ulcer and reflux disease, **327**
The histamine H_2 receptor agonist N^{α}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
The relation between gastric vitamin C concentrations, mucosal histology, and CagA seropositivity in the human stomach, **322**
Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**
Helicobacter pylori in vivo causes structural changes in the adherent gastric mucus layer but barrier thickness is not compromised, **470**
Helicobacter pylori specific nested PCR assay for the detection of 23S rRNA mutation associated with clarithromycin resistance, **317**
Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**
Treatment of *Helicobacter pylori infection: letter,* **148**
heparan sulphate proteoglycan, Expression of basic fibroblast growth factor in intact and ulcerated human gastric mucosa, **525**
hepatic fibrosis, Localisation and semiquantitative assessment of hepatic procollagen mRNA in primary biliary cirrhosis, **433**
hepatic vein thrombosis, Prevalence of the factor V Leiden mutation in portal and hepatic vein thrombosis: *letter,* **147**
hepatocellular carcinoma, Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**
Differential expression of laminin receptors in human hepatocellular carcinoma, **837**
hepatosplanchnic, Hepatosplanchnic haemodynamics and renal blood flow and function in rats with liver failure, **272**
hereditary haemochromatosis, H63D is an haemochromatosis associated allele: *letter,* **441**
hereditary non-polyposis colon cancer, Genetic instability in colorectal cancer: *commentary,* **450**
hereditary non-polyposis colorectal cancer, Are relatives of patients with multiple HNPCC spectrum tumours at increased risk of cancer?, **664**
Colonic epithelial cell proliferation in hereditary non-polyposis colorectal cancer, **85**
Frequency of replication errors in colorectal cancer and their association with family history, **553**
Multiple HNPCC tumours: ask the family!: *commentary,* **596**
***HFE* gene,** The significance of haemochromatosis gene mutations in the general population: implications for screening, **830**
H_2 receptor, The histamine H_2 receptor agonist N^{α}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
Hirschsprung's disease, Oncological implications of RET gene mutations in Hirschsprung's disease, **542**
histamine, Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids, **223**
histology, Any role left for invasive tests? Histology in clinical practice, **S51 (Suppl 1)**
Risk factor assessment of endoscopically removed malignant colorectal polyps, **669**
HIV, HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda, **350**
Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
Steatorrhoea and pancreatic disease in HIV infected patients: *letter,* **147**
HLA association, CTLA-4 gene polymorphism is associated with predisposition to coeliac disease, **187**
HLA class II genes, Analysis of MHC class II DP, DQ and DR alleles in Crohn's disease, **210**
home parenteral nutrition, Impaired splenic function and tuftsin deficiency in patients with intestinal failure on long term intravenous nutrition, **759**
human, Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection, **763**
human fetus, Mucin gene expression in human embryonic and fetal intestine, **519**
hydrogen sulphide, Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour, **100**
hyperbaric oxygen, Hyperbaric oxygen: a novel modality to ameliorate experimental colitis, **512**
hypochlorhydria, Opposing time trends of peptic ulcer and reflux disease, **327**
hyposplenism, Impaired splenic function and tuftsin deficiency in patients with intestinal failure on long term intravenous nutrition, **759**

ibuprofen, Naproxen sodium did not lead to substantially more upper gastrointestinal tract bleeding than ibuprofen during short term use as an analgesic: *abstract,* **315**
idiopathic bile acid malabsorption, Progress in idiopathic bile acid malabsorption: *commentary,* **738**
idiopathic dysautonomia, Ischaemic enterocolitis complicating idiopathic dysautonomia, **285**
ileal pouch-anal anastomosis, Ileal pouch-anal anastomosis for Crohn's disease: *leader,* **303**
ileocolonic junction, Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
immune pathogenesis, Bacterial factors and immune pathogenesis in *Helicobacter pylori* infection, **S2 (Suppl 1)**
immune responses, Role of NF-κB in immune and inflammatory responses in the gut: *review,* **856**
immunohistochemistry, Matrix metalloproteinases and their inhibitors in gastric cancer, **791**
bax, but not *bcl-2*, influences the prognosis of human pancreatic cancer, **414**
Poor diagnostic value of colonic CD44v6 expression and serum concentrations of its soluble form in the differentiation of ulcerative colitis from Crohn's disease, **375**
immunosuppression, Ulcerative colitis has an aggressive course after orthotopic liver transplantation for primary sclerosing cholangitis, **639**
immunotherapy, Can immunotherapy by gene transfer tip the balance against colorectal cancer?: *leader,* **445**
impact, Gastroenterology research in the United Kingdom: funding sources and impact, **288**
in situ hybridisation, Enhanced fibroblast growth factor 5 expression in stromal and exocrine elements of the pancreas in chronic pancreatitis, **134**
Localisation and semiquantitative assessment of hepatic procollagen mRNA in primary biliary cirrhosis, **433**
bax, but not *bcl-2*, influences the prognosis of human pancreatic cancer, **414**
incontinence, Acute effects of therapeutic irradiation for prostatic carcinoma on anorectal function, **123**
indazole, Contrasting effects of circulating nitric oxide and nitrergic transmission on exocrine pancreatic secretion in rats, **684**
indomethacin, Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**
inducible nitric oxide synthase, Expression of inducible nitric oxide synthase activity in human colon epithelial cells: modulation by T lymphocyte derived cytokines, **56**

Increased nitric oxide activity in a rat model of acute pancreatitis, **564**
inflammation, Role of NF-κB in immune and inflammatory responses in the gut: *review,* **856**
Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
inflammatory bowel disease, Analysis of MHC class II DP, DQ and DR alleles in Crohn's disease, **210**
Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**
Activation of NFκB in inflammatory bowel disease: *letter,* **587**
Depletion of the enteric nervous system by gene targeting results in haemorrhagic necrosis of the ileum: *science alert,* **742**
Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
Hyperbaric oxygen: a novel modality to ameliorate experimental colitis, **512**
Inflammatory bowel disease-like enteritis and caecitis in a senescence accelerated mouse P1/Yit strain, **71**
Interleukin 12 and Th1 responses in inflammatory bowel disease: *leader,* **735**
Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
Ulcerative colitis has an aggressive course after orthotopic liver transplantation for primary sclerosing cholangitis, **639**
Visualising E-selectin in the detection and evaluation of inflammatory bowel disease, **40**
integrin α6β1, Differential expression of laminin receptors in human hepatocellular carcinoma, **837**
interferon, Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids, **223**
interferon α-2b, Adding ribavirin to interferon α-2b for chronic hepatitis C infection increased virological response and nausea: *abstract,* **602**
interferon γ, Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7, **620**
interleukin 1 receptor antagonist, Five genetic markers in the interleukin 1 family in relation to inflammatory bowel disease, **33**
interleukin 10, Multisystemic production of interleukin 10 limits the severity of acute pancreatitis in mice, **408**
interleukin 12, Interleukin 12 and Th1 responses in inflammatory bowel disease: *leader,* **735**
Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7, **620**
interleukin 13, Expression of inducible nitric oxide synthase activity in human colon epithelial cells: modulation by T lymphocyte derived cytokines, **56**
interleukin 15, Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7, **620**
interleukin 1β, Five genetic markers in the interleukin 1 family in relation to inflammatory bowel disease, **33**
interleukin 2 receptor, Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
interleukin 7, Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7, **620**
intestinal epithelium, Urokinase and the intestinal mucosa: evidence for a role in epithelial cell turnover, **656**
intestinal inflammation, Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
Intestinal permeability and inflammation in patients on NSAIDs, **506**
Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7, **620**
intestinal metaplasia, Intestinal metaplasia at the gastro-oesophageal junction: *Helicobacter pylori* gastritis or gastro-oesophageal reflux disease?, **17**
intestinal permeability, Effect of sodium ion coupled nutrient transport on intestinal permeability in chronically catheterised rats, **22**
Intestinal permeability and inflammation in patients on NSAIDs, **506**
intestinal T lymphocytes, Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
intestinal transit, Altered migrating myoelectrical complex in an animal model of cholesterol gallstone disease: the effect of erythromycin, **817**
intestinal tumour, Two way push videoenteroscopy in investigation of small bowel disease, **280**
intestine, Mucin gene expression in human embryonic and fetal intestine, **519**
Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
intracellular pH, Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**
invasive tests, Any role left for invasive tests? Histology in clinical practice, **S51 (Suppl 1)**
iron absorption, Clinical trial on the effect of regular tea drinking on iron accumulation in genetic haemochromatosis, **699**
iron overload, Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**
The significance of haemochromatosis gene mutations in the general population: implications for screening, **830**
irritable bowel syndrome, Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population, **770**
Level of chronic life stress predicts clinical outcome in irritable bowel syndrome, **256**
ischaemic enterocolitis, Ischaemic enterocolitis complicating idiopathic dysautonomia, **285**

Jass grouping, Loss of Bcl-2 expression correlates with tumour recurrence in colorectal cancer, **383**
jaundice, Management of fibrosing pancreatitis in children presenting with obstructive jaundice, **715**
jejunum, HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda, **350**
Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain, **252**

K88 ETEC, Bromelain protects piglets from diarrhoea caused by oral challenge with K88 positive enterotoxigenic *Escherichia coli,* **196**
kappa opioid receptor, The kappa opioid receptor is associated with the perception of visceral pain: *science alert,* **312**
kininogen, Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**

laminin receptor, Differential expression of laminin receptors in human hepatocellular carcinoma, **837**
laser lithotripsy, Does laser lithotripsy hit the target?: *commentary,* **740**
Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**
leptin, Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
leucocytes, On the protective mechanisms of nitric oxide in acute pancreatitis, **401**
lipid, Evidence for a lipid specific effect in nutrient induced human proximal gastric relaxation, **248**
lipids, Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
lithotripsy methods, Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**
liver disease, Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**
liver failure, Hepatosplanchnic haemodynamics and renal blood flow and function in rats with liver failure, **272**
liver function ^{13}C breath test for measurement of liver function, **S25 (Suppl 3)**
liver metastases, Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
liver transplantation, Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
Patterns of alcohol consumption after liver transplantation, **140**
The colon and PSC: new liver, new danger?: *commentary,* **595**
Tomorrow's challenge in liver transplantation: diminishing the imbalance between donor organ availability and need: *letter,* **732**
Ulcerative colitis has an aggressive course after orthotopic liver transplantation for primary sclerosing cholangitis, **639**
local endoscopic therapy, Photodynamic ablation of early cancers of the stomach by means of mTHPC and laser irradiation: preliminary clinical experience, **345**
local immunity, Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**
long term maintenance treatment, Erosive oesophagitis: outcome of repeated long term maintenance treatment with low dose omeprazole 10 mg or placebo, **458**
lower oesophageal sphincter, Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**
lymphocytic colitis, Lymphocytic colitis: clinical presentation and long term course, **629**

magnetic resonance cholangiopancreatography, A prospective evaluation of magnetic resonance cholangiopancreatography in patients with suspected bile duct obstruction, **680**
MRCP: examining the obstructed bile duct: *commentary,* **597**
major histocompatibility complex, Analysis of MHC class II DP, DQ and DR alleles in Crohn's disease, **210**
malignant polyps, Risk factor assessment of endoscopically removed malignant colorectal polyps, **669**

malnutrition, Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
management, Management of dyspeptic patients by general practitioners and specialists, **S21 (Suppl 1)**
Treatment of *Helicobacter pylori* infection: management of patients with ulcer disease by general practitioners and gastroenterologists, **S24 (Suppl 1)**
Helicobacter pylori, Blood tests in the management of *Helicobacter pylori* infection, **S39 (Suppl 1)**
Clinical relevance of resistant strains of *Helicobacter pylori*: a review of current data, **S61 (Suppl 1)**
Management of *Helicobacter pylori* infection in children, **S10 (Suppl 1)**
manometry, Acute effects of therapeutic irradiation for prostatic carcinoma on anorectal function, **123**
Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**
Sphincter of Oddi dysfunction and acute pancreatitis: *leader,* **305**
matrix metalloproteinase, Matrix metalloproteinases and their inhibitors in gastric cancer, **791**
matrix metalloproteinases, Matrix metalloproteinases in gastrointestinal cancer: *leader,* **161**
Stromelysin 3 is overexpressed in human pancreatic carcinoma and regulated by retinoic acid in pancreatic carcinoma cell lines, **692**
measles virus, Measles virus and Crohn's disease: view of a medical virologist: *leader,* **733**
medium chain fatty acid, The influence of a preserved colon on the absorption of medium chain fat in patients with small bowel resection, **478**
6-mercaptopurine, 6-Mercaptopurine metabolism in Crohn's disease: *letter,* **301**
mesalazine, Exposure to mesalamine during pregnancy increased preterm deliveries (but not birth defects) and decreased birth weight: *abstract,* **316**
metabolism, Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**
metronidazole, Clinical relevance of resistant strains of *Helicobacter pylori*: a review of current data, **S61 (Suppl 1)**
metronidazole resistance, Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication: *letter,* **586**
microcirculation, On the protective mechanisms of nitric oxide in acute pancreatitis, **401**
microsatellite instability, Folate depletion impairs DNA excision repair in the colon of the rat, **93**
Genetic instability in colorectal cancer: *commentary,* **450**
migrating motor complex, Involvement of two different pathways in the motor effects of erythromycin on the gastric antrum in humans, **395**
migrating myoelectrical complex, Altered migrating myoelectrical complex in an animal model of cholesterol gallstone disease: the effect of erythromycin, **817**
molecular genetics, AFAP: variety is the spice of life: *commentary,* **451**
monoclonal antibodies, Measurement of gluten using a monoclonal antibody to a coeliac toxic peptide of A gliadin, **190**
monocyte, Enhanced expression of monocyte tissue factor in patients with liver cirrhosis, **428**
motility, Acute effects of therapeutic irradiation for prostatic carcinoma on anorectal function, **123**
Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain, **252**
mucin genes, Mucin gene expression in human embryonic and fetal intestine, **519**
mucins, Mucin gene expression in human embryonic and fetal intestine, **519**
mucosal adjuvants, Eradication of chronic *Helicobacter pylori* infection by therapeutic vaccination: *science alert,* **7**
mucosal immunity, Gliadin activates mucosal cell mediated immunity in cultured rectal mucosa from coeliac patients and a subset of their siblings, **484**
mucosal immunology, Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
mucosal transformation, Increased state of activation of CD4 positive T cells and elevated interferon γ production in pouchitis, **499**
multiple endocrine neoplasia type 2A, Oncological implications of RET gene mutations in Hirschsprung's disease, **542**
mutation, Phenotypic differences in familial adenomatous polyposis based on APC gene mutation status, **675**

nabumetone, Intestinal permeability and inflammation in patients on NSAIDs, **506**
Na-nutrient cotransport, Effect of sodium ion coupled nutrient transport on intestinal permeability in chronically catheterised rats, **22**
naproxen sodium, Naproxen sodium did not lead to substantially more upper gastrointestinal tract bleeding than ibuprofen during short term use as an analgesic: *abstract,* **315**
neoplasm, Matrix metalloproteinases and their inhibitors in gastric cancer, **791**
NF-κB, Activation of NFκB in inflammatory bowel disease: *letter,* **587**
Role of NF-κB in immune and inflammatory responses in the gut: *review,* **856**
nitric oxide, Contrasting effects of circulating nitric oxide and nitrergic transmission on exocrine pancreatic secretion in rats, **684**
Expression of inducible nitric oxide synthase activity in human colon epithelial cells: modulation by T lymphocyte derived cytokines, **56**
Increased nitric oxide activity in a rat model of acute pancreatitis, **564**
On the protective mechanisms of nitric oxide in acute pancreatitis, **401**
nociception, The kappa opioid receptor is associated with the perception of visceral pain: *science alert,* **312**
non-steroidal anti-inflammatory drug, Enantiomers of flurbiprofen can distinguish key pathophysiological steps of NSAID enteropathy in the rat, **775**
Intestinal permeability and inflammation in patients on NSAIDs, **506**
non-ulcer dyspepsia., Clinical outcome after infection with *Helicobacter pylori* does not appear to be reliably predicted by the presence of any of the genes of the *cag* pathogenicity island, **752**
northern blot analysis, *bax*, but not *bcl-2*, influences the prognosis of human pancreatic cancer, **414**
nurse endoscopists, A UK training programme for nurse practitioner flexible sigmoidoscopy and a prospective evaluation of the practice of the first UK trained nurse flexible sigmoidoscopist, **711**
nutrients, Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
nutrition, Chemoprevention of colorectal cancer: *review,* **578**
***N*$^{\tau}$-methylhistamine,** The histamine H_1 receptor agonist N^{τ}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**

oats, Coeliac disease: how much of what is toxic to whom?: *commentary,* **164**
Tolerance to oats in dermatitis herpetiformis, **490**
octreotide, Clinical symptoms, hormone profiles, treatment, and prognosis in patients with gastric carcinoids, **223**
Octreotide followed by sclerotherapy was not more effective than emergency injection sclerotherapy for acute variceal haemorrhage: *abstract,* **9**
odour, Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour, **100**
oesophageal adenocarcinoma, Impact of endoscopic biopsy surveillance of Barrett's oesophagus on pathological stage and clinical outcome of Barrett's carcinoma, **216**
Opposing time trends of peptic ulcer and reflux disease, **327**
oesophageal manometry, Non-cardiac, non-oesophageal chest pain: the relevance of psychological factors, **105**
oesophageal pH monitoring, Non-cardiac, non-oesophageal chest pain: the relevance of psychological factors, **105**
omeprazole, Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection, **763**
Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**
Eradication of Barrett's mucosa with argon plasma coagulation and acid suppression: immediate and mid term results, **747**
Erosive oesophagitis: outcome of repeated long term maintenance treatment with low dose omeprazole 10 mg or placebo, **458**
Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**
one week triple therapy, One week triple therapy for *Helicobacter pylori*: *letter,* **148**
open access endoscopy, Screening young people for gastric cancer: *letter,* **586**
opioid pharmacology, The kappa opioid receptor is associated with the perception of visceral pain: *science alert,* **312**
organ culture, Gliadin activates mucosal cell mediated immunity in cultured rectal mucosa from coeliac patients and a subset of their siblings, **484**
organ donor availability, Tomorrow's challenge in liver transplantation: diminishing the imbalance between donor organ availability and need: *letter,* **732**
osmolality, Evidence for a lipid specific effect in nutrient induced human proximal gastric relaxation, **248**
outcome, Cost effectiveness of treatment for gastro-oesophageal reflux disease: *letter,* **729**

p53, Loss of Bcl-2 expression correlates with tumour recurrence in colorectal cancer, **383**
pancreas, Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
Periacinar stellate shaped cells in rat pancreas: identification, isolation, and culture, **128**
pancreatic cancer, *bax*, but not *bcl-2*, influences the prognosis of human pancreatic cancer, **414**
Stromelysin 3 is overexpressed in human pancreatic carcinoma and regulated by retinoic acid in pancreatic carcinoma cell lines, **692**

pancreatic disease, Steatorrhoea and pancreatic disease in HIV infected patients: *letter,* **147**
pancreatic secretion, Contrasting effects of circulating nitric oxide and nitrergic transmission on exocrine pancreatic secretion in rats, **684**
On the protective mechanisms of nitric oxide in acute pancreatitis, **401**
pancreatitis, Contrasting effects of circulating nitric oxide and nitrergic transmission on exocrine pancreatic secretion in rats, **684**
Management of fibrosing pancreatitis in children presenting with obstructive jaundice, **715**
Multisystemic production of interleukin 10 limits the severity of acute pancreatitis in mice, **408**
Sphincter of Oddi dysfunction and acute pancreatitis: *leader,* **305**
paracellular absorption, Effect of sodium ion coupled nutrient transport on intestinal permeability in chronically catheterised rats, **22**
patents, Gastroenterology research in the United Kingdom: funding sources and impact, **288**
peptic ulceration, Expression of basic fibroblast growth factor in intact and ulcerated human gastric mucosa, **525**
percutaneous endoscopic gastrostomy, The buried bumper syndrome: a complication of percutaneous endoscopic gastrostomy: *letter,* **586**
peroxynitrite, Increased nitric oxide activity in a rat model of acute pancreatitis, **564**
pH, The life and death of *Helicobacter pylori,* **S56 (Suppl 1)**
pH monitoring, Effect of omeprazole 20 mg twice daily on duodenogastric and gastro-oesophageal bile reflux in Barrett's oesophagus, **603**
pharmacology, Effect of atropine on gastro-oesophageal reflux and transient lower oesophageal sphincter relaxations in patients with gastro-oesophageal reflux disease, **12**
pharyngo-upper oesophageal sphincter contractile reflex, Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**
phenotypic variation, AFAP: variety is the spice of life: *commentary,* **451**
photodynamic therapy, A light at the end of the tunnel: *commentary,* **737**
Making light work of early gastric cancer: *commentary,* **309**
Photodynamic ablation of early cancers of the stomach by means of mTHPC and laser irradiation: preliminary clinical experience, **345**
plasma kallikrein, Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**
platelet activating factor receptor, Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
point mutation, *Helicobacter pylori* specific nested PCR assay for the detection of 23S rRNA mutation associated with clarithromycin resistance, **317**
polymorphism, Heterozygotes for *HFE* mutations have no increased risk of advanced alcoholic liver disease, **262**
polypectomy, Risk factor assessment of endoscopically removed malignant colorectal polyps, **669**
portal vein thrombosis, Prevalence of the factor V Leiden mutation in portal and hepatic vein thrombosis: *letter,* **147**
pouchitis, Increased state of activation of CD4 positive T cells and elevated interferon γ production in pouchitis, **499**
premalignancy, The relation between gastric vitamin C concentrations, mucosal histology, and CagA seropositivity in the human stomach, **322**
preterm delivery, Exposure to mesalamine during pregnancy increased preterm deliveries (but not birth defects) and decreased birth weight: *abstract,* **316**
primary bile acid malabsorption, Biliary lipid composition in idiopathic bile acid malabsorption, **812**
primary biliary cirrhosis, Association between primary biliary cirrhosis and coeliac disease: *letter,* **300**
Fatigue in primary biliary cirrhosis, **705**
Localisation and semiquantitative assessment of hepatic procollagen mRNA in primary biliary cirrhosis, **433**
Primary biliary cirrhosis and coeliac disease: a study of relative prevalences: *letter,* **300**
primary sclerosing cholangitis, The colon and PSC: new liver, new danger?: *commentary,* **595**
Ulcerative colitis has an aggressive course after orthotopic liver transplantation for primary sclerosing cholangitis, **639**
procollagen peptide, Localisation and semiquantitative assessment of hepatic procollagen mRNA in primary biliary cirrhosis, **433**
Primary biliary cirrhosis and coeliac disease: a study of relative prevalences: *letter,* **300**
prognosis, Early gastric stump cancer following distal gastrectomy, **342**
prognostic factors, Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
prolamin, Measurement of gluten using a monoclonal antibody to a coeliac toxic peptide of A gliadin, **190**
prophylaxis, Treatment of *Helicobacter pylori*: future therapeutic and prophylactic perspectives, **S70 (Suppl 1)**
prostaglandin E_2 receptor, Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
protein translocation, The medium is the messenger: *science alert,* **456**
proteins, Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
proteoglycan-polysaccharide, Kallikrein-kininogen system activation and bradykinin (B2) receptors in indomethacin induced enterocolitis in genetically susceptible Lewis rats, **365**
prothrombin fragment F1+2, Enhanced expression of monocyte tissue factor in patients with liver cirrhosis, **428**
proximal stomach, Evidence for a lipid specific effect in nutrient induced human proximal gastric relaxation, **248**
psychiatric illness, Non-cardiac, non-oesophageal chest pain: the relevance of psychological factors, **105**
pulsatility index, Effect of meal induced splanchnic arterial vasodilatation on renal arterial haemodynamics in normal subjects and patients with cirrhosis, **843**
pyrilamine, Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**

quadruple therapy, Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication: *letter,* **586**

rabbits, A monoclonal anti-interleukin 8 antibody (WS-4) inhibits cytokine response and acute lung injury in experimental severe acute necrotising pancreatitis in rabbits, **232**
radiotherapy, Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**
Acute effects of therapeutic irradiation for prostatic carcinoma on anorectal function, **123**
ranitidine, Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection, **763**
Pentagastrin gastroprotection against acid is related to H_2 receptor activation but not acid secretion, **334**
rat, Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**
Folate depletion impairs DNA excision repair in the colon of the rat, **93**
receptor desensitisation, Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
rectum, Gliadin activates mucosal cell mediated immunity in cultured rectal mucosa from coeliac patients and a subset of their siblings, **484**
reflexive pharyngeal swallow, Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**
relative risk, Are relatives of patients with multiple HNPCC spectrum tumours at increased risk of cancer?, **664**
renal, Hepatosplanchnic haemodynamics and renal blood flow and function in rats with liver failure, **272**
renal artery, Effect of meal induced splanchnic arterial vasodilatation on renal arterial haemodynamics in normal subjects and patients with cirrhosis, **843**
replication errors, Frequency of replication errors in colorectal cancer and their association with family history, **553**
research, Gastroenterology research in the United Kingdom: funding sources and impact, **288**
resistance, *Helicobacter pylori* specific nested PCR assay for the detection of 23S rRNA mutation associated with clarithromycin resistance, **317**
resistant strains, Clinical relevance of resistant strains of *Helicobacter pylori*: a review of current data, **S61 (Suppl 1)**
RET, Oncological implications of RET gene mutations in Hirschsprung's disease, **542**
retinoic acid, Stromelysin 3 is overexpressed in human pancreatic carcinoma and regulated by retinoic acid in pancreatic carcinoma cell lines, **692**
reverse transcription polymerase chain reaction, High Fas ligand expression on lymphocytes in lesions of ulcerative colitis, **48**
ribavirin, Adding ribavirin to interferon α-2b for chronic hepatitis C infection increased virological response and nausea: *abstract,* **602**

salt absorption, Salt and water absorption in the human colon: a modern appraisal: *review,* **294**
sclerotherapy, Octreotide followed by sclerotherapy was not more effective than emergency injection sclerotherapy for acute variceal haemorrhage: *abstract,* **9**
screening, Flat adenomas exist in asymptomatic people: important implications for colorectal cancer screening programmes, **229**

The significance of haemochromatosis gene mutations in the general population: implications for screening, **830**
^{75}SeHCAT, Biliary lipid composition in idiopathic bile acid malabsorption, **812**
senescence accelerated mouse, Inflammatory bowel disease-like enteritis and caecitis in a senescence accelerated mouse P1/Yit strain, **71**
sensory nerves, Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain, **252**
short bowel, The influence of a preserved colon on the absorption of medium chain fat in patients with small bowel resection, **478**
short bowel syndrome, Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection, **763**
Impaired splenic function and tuftsin deficiency in patients with intestinal failure on long term intravenous nutrition, **759**
short chain fatty acids, Salt and water absorption in the human colon: a modern appraisal: *review,* **294**
single cell gel electrophoresis, Folate depletion impairs DNA excision repair in the colon of the rat, **93**
sleep, Fatigue in primary biliary cirrhosis, **705**
small bowel biopsy, Specificity of small bowel biopsy findings in coeliac disease: *letter,* **146**
small bowel transplantation, Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
small intestine, Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
Two way push videoenteroscopy in investigation of small bowel disease, **280**
smoking, Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**
smooth muscle cells, Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
soluble CD44v6, Poor diagnostic value of colonic CD44v6 expression and serum concentrations of its soluble form in the differentiation of ulcerative colitis from Crohn's disease, **375**
soluble TNF receptor, Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
somatostatin, The histamine H_1 receptor agonist *N*$^{\alpha}$-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
spasmolytic polypeptide, Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**
sphincter of Oddi, Sphincter of Oddi dysfunction and acute pancreatitis: *leader,* **305**
sphincter of Oddi dysfunction, Sphincter of Oddi dysfunction and acute pancreatitis: *leader,* **305**
sphincterotomy, Does laser lithotripsy hit the target?: *commentary,* **740**
splanchnic blood flow, Factors affecting splanchnic haemodynamics in Crohn's disease: a prospective controlled study using Doppler ultrasound, **645**
splenic function, Impaired splenic function and tuftsin deficiency in patients with intestinal failure on long term intravenous nutrition, **759**
spontaneous regression, Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**
steatorrhoea, Pancreatic dysfunction and its association with fat malabsorption in HIV infected children, **558**
Steatorrhoea and pancreatic disease in HIV infected patients: *letter,* **147**
stellate cells, Periacinar stellate shaped cells in rat pancreas: identification, isolation, and culture, **128**
stomach, First pass metabolism of ethanol is strikingly influenced by the speed of gastric emptying, **612**
Matrix metalloproteinases and their inhibitors in gastric cancer, **791**
stone tissue discrimination system, Laser lithotripsy of difficult bile duct stones: results in 60 patients using a rhodamine 6G dye laser with optical stone tissue detection system, **823**
storage iron accumulation, Clinical trial on the effect of regular tea drinking on iron accumulation in genetic haemochromatosis, **699**
stress inducible MHC molecules, Recognition by human gut γδ cells of stress inducible major histocompatibility molecules on enterocytes: *science alert,* **166**
stromelysin 3, Stromelysin 3 is overexpressed in human pancreatic carcinoma and regulated by retinoic acid in pancreatic carcinoma cell lines, **692**
sulphasalazine, Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**
sulphur containing gas, Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour, **100**
sumatriptan, Involvement of two different pathways in the motor effects of erythromycin on the gastric antrum in humans, **395**
superior mesenteric artery, Effect of meal induced splanchnic arterial vasodilatation on renal arterial haemodynamics in normal subjects and patients with cirrhosis, **843**
supraoesophageal reflexes, Effect of chronic and acute cigarette smoking on the pharyngo-upper oesophageal sphincter contractile reflex and reflexive pharyngeal swallow, **537**
surface hydrophobicity, Age and *Helicobacter pylori* decrease gastric mucosal surface hydrophobicity independently, **465**
surgery, Postoperative outcome of Crohn's disease in 30 children, **634**
survival, Annual colonoscopy, chest radiography, and computed tomography of the liver did not prolong survival in patients with colorectal cancer: *abstract,* **314**
Prognostic factors in patients with endocrine tumours of the duodenopancreatic area, **422**
swallowing, Swallowing is a precarious business: *commentary,* **453**
symptom intensity, Level of chronic life stress predicts clinical outcome in irritable bowel syndrome, **256**
symptoms, A requiem for the cholecystokinin provocation test?, **571**
systemic, Hepatosplanchnic haemodynamics and renal blood flow and function in rats with liver failure, **272**
systemic lupus erythematosus, Chronic intestinal pseudoobstruction in systemic lupus erythematosus, **117**

T cell activation, Increased state of activation of CD4 positive T cells and elevated interferon γ production in pouchitis, **499**
T cell reactivity, Diagnostic value of T cell reactivity in drug induced hepatitis: *letter,* **730**
T lymphocytes, High Fas ligand expression on lymphocytes in lesions of ulcerative colitis, **48**
tea, Clinical trial on the effect of regular tea drinking on iron accumulation in genetic haemochromatosis, **699**
Th1 responses, Interleukin 12 and Th1 responses in inflammatory bowel disease: *leader,* **735**
therapeutic vascular embolisation, Colonic embolisation: useful but caution required: *commentary,* **4**
thrombelastography, Thrombelastographic changes and early rebleeding in cirrhotic patients with variceal bleeding, **267**
tight junctions, Effect of sodium ion coupled nutrient transport on intestinal permeability in chronically catheterised rats, **22**
TIPSS, Transjugular intrahepatic portosystemic shunt was not more cost effective than H graft portacaval shunt for bleeding varices: *abstract,* **11**
Transjugular intrahepatic portosystemic stent shunt reduced the rate of variceal rebleeding in patients with cirrhosis: *abstract,* **10**
tissue factor, Enhanced expression of monocyte tissue factor in patients with liver cirrhosis, **428**
tissue transglutaminase, Coeliac disease: how much of what is toxic to whom?: *commentary,* **164**
tolerance, Decreased expression of the interleukin 2 receptor on CD8 recipient lymphocytes in intestinal grafts rendered tolerant by liver transplantation in rats, **849**
tonsillectomy, Appendicectomy, childhood hygiene, *Helicobacter pylori* status, and risk of inflammatory bowel disease: a case control study, **494**
transforming growth factor α, Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
transgenic mice, Reduced susceptibility of mice overexpressing transforming growth factor α to dextran sodium sulphate induced colitis, **64**
transit, Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids, **111**
treatment, Treatment of *Helicobacter pylori*: future therapeutic and prophylactic perspectives, **S70 (Suppl 1)**
trefoil factor 2, Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**
trefoil peptides, Distribution and metabolism of intravenously administered trefoil factor 2/porcine spasmolytic polypeptide in the rat, **240**
trinitrobenzenesulphonic acid colitis, Hyperbaric oxygen: a novel modality to ameliorate experimental colitis, **512**
trinitrobenzensulphonic acid, Correlation of desensitisation of platelet activating factor (PAF) receptors with intensity of inflammation and intestinal PAF content during experimental ileitis in guinea pig, **356**
trypsin 2, Do trypsin 2–α-1-antitrypsin complexes occur naturally in the circulation?: *letter,* **861**
tubeless pancreatic function tests, A perspective on the use of tubeless pancreatic function tests in diagnosis: *leader,* **2**
tuftsin, Impaired splenic function and tuftsin deficiency in patients with intestinal failure on long term intravenous nutrition, **759**
tumorigenesis, Urokinase receptor is a key player in tumour progression: *commentary,* **739**
tumour necrosis factor, Elevated plasma leptin concentrations in early stages of experimental intestinal inflammation in rats, **783**
Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
tumour necrosis factor α, Abscopal regression of hepatocellular carcinoma after radiotherapy for bone metastasis, **575**
Multisystemic production of interleukin 10 limits the severity of acute pancreatitis in mice, **408**

The histamine H_1 receptor agonist N^{α}-methylhistamine produced by *Helicobacter pylori* does not alter somatostatin release from cultured rabbit fundic D-cells, **176**
tumour recurrence, Loss of Bcl-2 expression correlates with tumour recurrence in colorectal cancer, **383**

ulcer disease, Treatment of *Helicobacter pylori* infection: management of patients with ulcer disease by general practitioners and gastroenterologists, **S70 (Suppl 1)**
ulcerative colitis, A simple clinical colitis activity index, **29**
Appendicectomy and childhood hygiene: different sides of the same coin?: *commentary*, **451**
Differentiating ulcerative colitis from Crohn's disease: false dawn for CD44: *commentary*, **310**
Expression of inducible nitric oxide synthase activity in human colon epithelial cells: modulation by T lymphocyte derived cytokines, **56**
Five genetic markers in the interleukin 1 family in relation to inflammatory bowel disease, **33**
High Fas ligand expression on lymphocytes in lesions of ulcerative colitis, **48**
Life (and death) in the Fas lane: *commentary*, **5**
Secretion imbalance between tumour necrosis factor and its inhibitor in inflammatory bowel disease, **203**
The colon and PSC: new liver, new danger?: *commentary*, **595**
Ulcerative colitis has an aggressive course after orthotopic liver transplantation for primary sclerosing cholangitis, **639**
Visualising E-selectin in the detection and evaluation of inflammatory bowel disease, **40**
upper gastrointestinal bleeding, Naproxen sodium did not lead to substantially more upper gastrointestinal tract bleeding than ibuprofen during short term use as an analgesic: *abstract*, **315**
upper oesophageal sphincter, Swallowing is a precarious business: *commentary*, **453**
urea breath test, Urea breath tests in the management of *Helicobacter pylori* infection, **S47 (Suppl 1)**
urease, Systemic and local immune responses against *Helicobacter pylori* urease in patients with chronic gastritis: distinct IgA and IgG productive sites, **168**
urokinase, Urokinase and the intestinal mucosa: evidence for a role in epithelial cell turnover, **656**
urokinase receptor, Urokinase receptor is a key player in tumour progression: *commentary*, **739**
urokinase type plasminogen activator receptor, Urokinase type plasminogen activator receptor expression in colorectal neoplasms, **798**

vacA, Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**
vaccination, Eradication of chronic *Helicobacter pylori* infection by therapeutic vaccination: *science alert*, **7**
variceal bleeding, Thrombelastographic changes and early rebleeding in cirrhotic patients with variceal bleeding, **267**
variceal rebleeding, Transjugular intrahepatic portosystemic shunt was not more cost effective than H graft portacaval shunt for bleeding varices: *abstract*, **11**
Transjugular intrahepatic portosystemic stent shunt reduced the rate of variceal rebleeding in patients with cirrhosis: *abstract*, **10**
visceral pain, The kappa opioid receptor is associated with the perception of visceral pain: *science alert*, **312**
visceral sensation, Subtypes of constipation predominant irritable bowel syndrome based on rectal perception, **388**

water absorption, Salt and water absorption in the human colon: a modern appraisal: *review*, **294**
western blot, Analysis of *Helicobacter pylori vacA* and *cagA* genotypes and serum antibody profile in benign and malignant gastroduodenal diseases, **182**